

### Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 17:00:00
Bid Opening Date/Time	23-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Karnataka
Department Name	Rural Development And Panchayat Raj Department Karnataka
Organisation Name	N/a
Office Name	Zilla Panchayat Ballari
Total Quantity	7
Item Category	Hopper Tipper Dumper
Bidder Turnover (Last 3 Years)	18 Lakh (s)
OEM Average Turnover (Last 3 Years)	100 Lakh (s)
Experience Criteria	2 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	3500000

### EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.50
EMD Amount	87500

**ePBG Detail**

Advisory Bank	State Bank of India
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

Project Director

Zilla Panchayat Ballari, Rural Development and Panchayat Raj Department Karnataka, N/A,  
(D Janaki Ram)

**Splitting**

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Hopper Tipper Dumper ( 7 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Chassis Certification	ARAI	*
	Chassis Certification ARAI/VRDE/ICAT No	-	*
	At the time of supply of the equipment, the chassis should not be more than 6 months old	Yes	*
Generic Parameters	<b>Type of TIPPER</b>	Garbage Tipper	Garbage Tipper
	Type of TIPPER if other tipper ,please declare type of Tipper,	-	*
	Make of Chassis	-	*
	Type of Chassis Frame	-	*
	<b>Category of Vehicle for which Chassis to be used</b>	Light Capacity Commercial Vehicles	Light Capacity Commercial Vehicles
	Type of Chasssis	Chassis with Facecowl	*
	<b>Type of Fuel</b>	Petrol	Petrol
	<b>Vehicle Emission Compliance</b>	BS-VI	BS-VI
	Fuel Consumption ( declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl)	21.9	*
	Speed, Max (Km/Hr)	70	*
	<b>Max Engine Power BHP (BHP@rpm)</b>	30	More than 30.0 Or higher
	Rated RPM at Max Engine Power	3750	*
	<b>Max Engine Torque (N-M@rpm)</b>	55	More than 55.0 Or higher
	Rated RPM at Max Engine Torque	2500	*
	<b>Main Engine Aspiration</b>	Natural Aspiration	Natural Aspiration

	No. of Cylinder in Main Engine (Nos)	2	*
	Fuel Tank Capacity (Ltrs)	26	*
	Gradeability of Vehicle with load( %)	23.09	*
	Ground Clearance (mm)	160	*
	Wheel Base (mm)	2100	*
	Kerb Weight (Kg)	865	*
	<b>Gross Vehicle Weight (Kg)</b>	1615	More than 1615.0 Or higher
	Type of BIS MARKED Vehicle Tyre	Radial	*
	<b>Chassis Transmission System</b>	Manual	Manual
	Number of Speed/ Forward Gears	5	*
	<b>Type of Steering</b>	Manual	Manual
	<b>Turning Radius,Min (mm)</b>	4300	Less than 4300.0 Or lower
	Speed Governors/ECU	Yes	*
	ABS Fitted	No	*
	Front Vehicle Brake	-	*
	Rear Vehicle Brake	-	*
	Type of Clutch	-	*
	Tipping Angle (Degree)	48	*
	<b>Tipper Container capacity/Volume(cubic metres)</b>	2	2.0 - 20.0 Or higher
Consructional Parameters	Size Of Front Tyres (mm)	-	*
	Size Of Rear Tyres (mm)	-	*
	Size of Wheel (mm)	304.8	*
	Tipper body Pivot length (mm)	1541	*
	Tipper body Length (mm)	2094	*
	Tipper Body Height (mm)	815	*
	Overall Height of Tipper from Ground (mm)	1840	*

	Body Plate Thickness (mm)	1.6	*
	Main Frame Thickness (mm)	3	*
	Hydraulic System	Yes	*
	Tipping Hydraulic Cylinders(Make)	-	*
	Hydraulic System Driven by	Main Engine	*
	<b>Tipper Container Material</b>	Mild Steel	Mild Steel
	Thickness of sheet from tipper Collector Container Made (mm)	1.6	*
	Dumping Height (mm)	620	*
	Engine Oil Pressure Level Indicator in Control Panel	Yes	*
	Fuel Gauge Indicator in Control Panel	Yes	*
	Engine Cooling Liquid Temperature Indicator in Control Panel	Yes	*
	Operating Hour Meter	No	*
	Locking/Unlocking of Tipper Discharge Container	Yes	*
	Lowering/Lifting of Tipper Discharge Container	Yes	*
	Counter Weight	No	*
	If yes Counter Weight (kg)	0	*
	Paint	Automotive Paint	*
Performance Parameters	Standard Sparewheel and Tool Kit	Yes	*
	<b>Warranty Time (Month)</b>	12	12.0
	No. Of Free Service (Nos)	3	*
	<b>Battery Warranty (Months)</b>	12	12, 24, 36 Or higher
	Warranty Distance (Km)(Unlimited during warranty Period)	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	D Janaki Ram	583102,Zilla Panchayat Fort Ballari	7	30

### Bid Specific Additional Terms and Conditions

- Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.
- Experience Criteria:** The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
  - The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
  - The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
  - The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.
- Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
  - The Seller fails to comply with any material term of the Contract.
  - The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
  - The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
  - The Seller becomes bankrupt or goes into liquidation.
  - The Seller makes a general assignment for the benefit of creditors.
  - A receiver is appointed for any substantial property owned by the Seller.
  - The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
- Scope of supply (Bid price to include all cost components) : Only supply of Goods

8. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
9. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
10. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
11. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
12. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
13. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): Not Applicable  
Post Receipt Inspection at consignee site before acceptance of stores: Third party inspection
14. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
15. ISO 9001: The bidder must have ISO 9001 certification.
16. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
17. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): OEM certificate issued by the competent authority.
18. Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope OEM warranty policy (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)
19. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
20. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty

with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

21. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**