

### Bid Document

Bid Details	
Bid End Date/Time	13-07-2020 19:00:00
Bid Opening Date/Time	13-07-2020 19:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	*****
Total Quantity	200
Item Category	Pad Lock Various (As Per Defence Specification) ( <b>PAC Only</b> )
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

**Pad Lock Various (As Per Defence Specification) ( 200 pieces ) ( Under PAC )**

Make	godrej
Model	godrej

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Governing specification	Conforming to Departmental Specification No. IND/GS/1909 (DS Cat No.5340-000967 to 000969 NSN 5340720170973 to 5340720170975) - specification uploaded at QR / Spcn alongwith drawing.	*
	<b>Types of padlocks</b>	Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn.	Galvanized iron padlocks with male or female keys - As per Fig 2 of govng. Specn.
	<b>Nominal sizes of padlocks (Nominal size denoted by maximum width of the body)</b>	Pad Lock IG 4 Levers 50 mm	Pad Lock IG 4 Levers 50 mm
	<b>Designation</b>	Pad Locks IG 4 Levers 50 mm	Pad Locks IG 4 Levers 50 mm
	<b>Defence Stores Catalogue Number ( DS CAT PART NUMBER) - {NSN} - [NOMENCLATURE &amp; SIZE SPRING DIVIDER ] (all in mm)</b>	( G1 / 5340 - 000968 ) - { 5340720170974 } - [ PADLOCK IG 4 LEVERS 50 MM ]	( G1 / 5340 - 000968 ) - { 5340720170974 } - [ PADLOCK IG 4 LEVERS 50 MM ]
	<b>Shape and Design of padlocks and their parts</b>	Other shapes and designs as per manufacturer's patent or as agreed between Buyer and Seller.	Other shapes and designs as per manufacturer's patent or as agreed between Buyer and Seller.
	Details of other shapes and designs of padlocks (by Buyer/Seller) – Write NA if not applicable	NA	*
	<b>Approval of Advance sample before Bulk Supply</b>	No Advance sample	No Advance sample

	Provision of NON-INTERCHANGEABILITY	Conforming to cl. 9 of govng. Specn	*
MANUFACTURING OF PADLOCKS	<b>Body of padlocks</b>	Made from lamination - confmg. to cl. 10.2.1 of govng. Specn. (for galvanized iron padlocks)	Made from lamination - confmg. to cl. 10.2.1 of govng. Specn. (for galvanized iron padlocks)
	<b>Back plate of padlocks</b>	Including Front plate confmg. to cl. 10.2.2 of govng. Specn. (for galvanized iron padlocks)	Including Front plate confmg. to cl. 10.2.2 of govng. Specn. (for galvanized iron padlocks)
	<b>Locking Plate and Bolt of padlocks</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Locking Pin of padlocks</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Livers of padlocks- A padlocks have not less than four levers</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Lever Cover Plate of padlocks</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Lever spring of padlocks</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Shackle</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Shackle Pivot Pin</b>	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.3 of govng. Specn. (for galvanized iron padlocks)
	<b>Guide Pin, Lever Pivot Pin and Lever Spring Fulcrum Pin</b>	Confmg. to cl. 10.2.4 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.4 of govng. Specn. (for galvanized iron padlocks)
	<b>Rivets</b>	Confmg. to cl. 10.2.5 of govng. Specn. (for galvanized iron padlocks)	Confmg. to cl. 10.2.5 of govng. Specn. (for galvanized iron padlocks)
	<b>Key Way Protector</b>	Without Key Way protectot	Without Key Way protectot

	<b>Keyhole Cover</b>	Confmg. to Cl. 10.1.14.1 of Govng. Specn. (for Brass padlocks and also for galvanized iron padlocks)	Confmg. to Cl. 10.1.14.1 of Govng. Specn. (for Brass padlocks and also for galvanized iron padlocks)
	Supply with two male Keys	Confmg. To Cl. 10.1.15 of Govng. Specn. (for Brass padlocks and also for galvanized iron padlocks) and Confmg. To requirement specified in 10.2.1 to 10.2.7	*
	<b>Leaded tin bronze keys (if required)</b>	N.A	N.A
	<b>Supply with female key</b>	No female Key	No female Key
	<b>Galvanizing</b>	N.A	N.A
MATERIALS & ITS SPECIFICATION	Mild Steel	Confmg. To cl. 7.1.1 of govng. Specification	*
	Galvanized Mild Steel Wire	Confmg. To cl. 7.2 of govng. Specification	*
	<b>Mild steel wire</b>	Confmg. To cl. 7.2.2 of govng. Specification (in case mild steel rivets used)	Confmg. To cl. 7.2.2 of govng. Specification (in case mild steel rivets used)
	<b>Cast Brass</b>	N.A	N.A
	<b>Brass sheet</b>	N.A	N.A
	<b>Brass wire and phosphor bronze wire</b>	N.A	N.A
	Leaded tin bronze	Confmg. To cl. 7.6 of govng. Specification	*
DIMENSIONS & TOLERANCES	Leading dimensions of Brass padlocks and their components & tolerances	Conforming to table 1 of govng. specification	*
	Leading dimensions of Galvanized iron padlocks and their components & tolerances	Conforming to table 2 of govng. specification	*
WORKMANSHIP & FINISH	All components of padlocks and Keys	Smooth finished to minimize frictional resistance in their working	*
	Levers workmanship	Keys of any two padlocks which have	*

		nearest lever combinations be mutually non interchangeable.	
	<b>Padlock finishing</b>	As per approved sample	As per approved sample
MARKING	Each padlock stamped	Confmg. to cl. 19.1 of Govng. Specn.	*
	Key stamping	Confmg. to cl. 19.2 of Govng. Specn.	*
	Marking on package	Confmg. to cl. 20.3 of Govng. Specn.	*
WARRANTY	Warranty performance	Confmg. to cl. 18.0 of Govng. Specn.	*
CERTIFICATION	Criteria for Conformity	Confmg. to cl. 16 of Govng. Specn.	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

QR/Spcn document	<a href="#">View</a>
------------------	----------------------

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****KAMRUP	200	30

#### Bid Specific Additional Terms and Conditions

- Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- Consortium:** In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.
- End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.
- IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**