

Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 17:00:00
Bid Opening Date/Time	24-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	Rites Ltd.
Office Name	Rites Ltd
Total Quantity	10
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Almirah Steel (10 pieces)**Technical Specifications**

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	No	No
	No of shelves (Nos)	4	4
	Type of Shelves	Adjustable	Adjustable
	Locker Provided	No	No
	Locking System with the locker	NO	NO
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Welded	Welded
	Lock	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	N.A	N.A

DIMENSION	Length of Glass Sheet ± 10 (mm)	N.A	N.A
	Width of Glass Sheet ± 10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.7 mm	0.7 mm
	Sheet Thickness of Pedestal in mm	1.0 mm	1.0 mm
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish	keys made of MAZAK / ZAMAK having nickle plated finish
	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855	1855
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (± 5 mm)	480	480.0
	Inside Height of Locker in mm (± 5 mm)	N.A	N.A
	Inside Width of Locker in mm (± 5 mm)	N.A	N.A
	Inside Depth of Locker in mm (± 5 mm)	N.A	N.A
	Width of Stiffner in mm (± 5 mm)	125 mm	125 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.6 mm	0.6 mm
	Stiffened Pedestal height in mm (± 2 mm)	125	125

	Pedestal Width in mm (± 2 mm)	75	75
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	steel gray	*
	Packing:	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Manohar Datt Joshi	380005,4D, Square Mall, Opposite Vishwakarma Engineering College, Motera,	10	30

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---