

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 14:00:00
Bid Opening Date/Time	20-07-2020 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	50 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Integrated Defence Staff (hq Ids)
Office Name	*****
Total Quantity	1
Item Category	diesel generators- DG Sets
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Diesel Generators- DG Sets (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
OUTPUT CAPACITY RATING/ PHASE	Nominal Rated Capacity (KVA)	5	5, 7.5, 10, 15, 20, 25, 30, 40, 62.5, 82.5, 100, 125, 160, 180, 200, 250, 320, 380, 400, 500, 600, 750, 50, 140, 75 Or higher
	No of Phase	-	Single phase
ENGINE	Make of Engine	-	*
	Model Number of Engine	-	*
	Capacity of Engine (cc)	-	*
	Engine Power (kWm)	-	*
	ISI Marking to IS :10001 for engine	Yes	*
	BIS license No, if applicable	-	*
	Type of Engine cooling	Air Cooled	Air Cooled
	Type of governor	Mechanical	Mechanical, Electronic Or higher
	Class of governor	A1	A0, A1 Or higher
	Number of cylinders (nos)	1	*
	No of Strokes (nos)	4	*
	Rated RPM of Engine (RPM)	-	1500, 3000
	Overload capacity for one hour for every 11 hours continuous running at full load (%)	10	*
	Specific Fuel Consumption (gm/kWh)	-	*
	Starting voltage (volt)	12	*
ALTERNATOR	AC GENERATOR(ALTERNATOR) Make	-	*
	AC GENERATOR(ALTERNATOR) model Number	-	*
	Rating of AC Generator (KVA)	5	*

	Power Factor of AC generator	0.8	*
	Efficiency at rated Power factor at 75% of full Load	85	*
	Compliance of Alternator to IS:13364(part-1)	Yes	*
	Type of alternator	Brushless	*
	Voltage Regulation Grade	VG 3	*
	Alternator IP Rating	IP 23	*
	Class of Insulation	H	*
CONTROL PANEL	Control Panel	Manual	Manual, AMF
	IP Rating of Control Panel	IP 53	*
ACOUSTIC ENCLOSURE	Sheet Thickness	1.6	1.6, 1.8, 2, 1.2 Or higher
	Thickness of Foam	40	*
	Density of Foam for sound insulation	28	*
	Noise level at 1 meter (dB)	71	*
BATTERY	Battery Type & Specification	Low Maintenance free to IS: 14257 for high cranking performance	*
	Battery capacity (Ah)	-	*
	No of batteries	1	*
TEST REPORTS	Availability of Type test report for Engine from Central govt/NABL/ILAC accredited laboratory	Yes	*
	Test Report number and date(Engine)	-	*
	Name and address of laboratory(Engine)	-	*
	Availability of Type test report for Alternator from Central government/NABL/ILAC accredited laboratory	Yes	*
	Test Report number and date(Alternator)	-	*
	Name and address of laboratory(Alternator)	-	*

	DG set meet requirements of Environmental(Protection) Rules 1986, in respect of noise and emission norms, as described in STC	Yes	*
WARRANTY / INSTALLATION & COMMISSIONING	Warranty	1	Any applicable numeric value
	Installation & Commissioning	Without Installation	With Installation, Without Installation
	Agreed to STC of the Product	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****JAMNAGAR	1	30

Special terms and conditions for category diesel generators- DG Sets

1. In addition to General Terms and Conditions of GeM, Special T&C shall be applicable for Diesel Generating Set/DG Set. click here to view the Special terms and conditions.

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
3. ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---