

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 12:00:00
Bid Opening Date/Time	27-07-2020 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Civil Aviation
Department Name	Airports Authority Of India (aai)
Organisation Name	Airports Authority Of India
Office Name	Airports Authority Of India- Surat
Total Quantity	3
Item Category	Counter Communication System
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Counter Communication System (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specifications	Type of Counter Communication System	Two Way	Two Way
	It consists of an attendant unit, a customer unit and a power supply unit	Yes	*
	Table top attendant unit with gooseneck microphone	Yes	*
	Length of Gooseneck (Inch)	20	*
	Provision for connecting a headband microphone to be used by the attendant as an alternate to the fixed gooseneck microphone	Yes	*
	TALK & LISTEN Volume Controls on the attendant Unit for adjusting voice levels to the Customer and the attendant respectively	Yes	*
	Auto-Mute if it is not in use	Yes	*
	ON/OFF option provided through a toggle switch	Yes	*
	The customer's unit has an speaker and a microphone, mounted in a housing	Yes	*
	Attendant's microphone has voice priority over the customer's microphone	Yes	*
	Power Supply Unit	Yes	*
	Speaker output wattage (Watt)	2	*

Power Requirements	230 Vac +/-10%, 50 Hz	*
Power Protection	Through AC Fuse	*
Dimensions for Attendant Unit (mm x mm x mm)	-	*
Dimensions for Customer Unit (mm x mm x mm)	-	*
Dimensions for Power Supply Unit (mm x mm x mm)	-	*
Weight for Attendant Unit (grams)	1.3	*
Weight for Customer Unit (Grams)	0.55	*
Weight for Power Supply Unit (Grams)	0.93	*
Standard Accessories to be Supplied	-	*
Minimum Operating Temperature	0	*
Maximum Operating Temperature	50	*
Minimum Storage Temperature	0	*
Maximum Storage Temperature	50	*
Minimum Operating Humidity (RH) (%)	20	*
Maximum Operating Humidity (RH) (%)	80	*
Certifications Available	RoHS	*
On Site OEM Warranty (Year)	1	1, 2, 3 Or higher

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Braj Bhushan	394550,Technical Block	3	30

		Surat Airport		
--	--	---------------	--	--

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. ISO 9001: The bidder must have ISO 9001 certification.
3. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
4. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): OEM Certificate and Test Reports.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---