

Bid Document

| Bid Details | |
|--|--|
| Bid End Date/Time | 25-07-2020 16:00:00 |
| Bid Opening Date/Time | 25-07-2020 16:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 30 (Days) |
| Ministry/State Name | Jammu & Kashmir |
| Department Name | Forest Department Jammu And Kashmir |
| Organisation Name | Territorial Wing |
| Office Name | Principal Chief Conservator Of Forest |
| Total Quantity | 2940 |
| Item Category | Safety Footwear - BIS Specification |
| OEM Average Turnover (Last 3 Years) | 50 Lakh (s) |
| Experience Criteria | 1 Year (s) |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Past Performance | 40 % |
| Bid to RA enabled | No |
| Inspection Required | No |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Safety Footwear - BIS Specification (2940 pairs)

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|----------------------|---|---|---|
| SPECIFICATION | Technical Specification of the Product | Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest along with Dte. General of Mines Safety (DGMS) approval | Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest along with Dte. General of Mines Safety (DGMS) approval |
| | Specification has been seen and Understood | Yes | * |
| CERTIFICATION | BIS Certification | No | No |
| | CM/ L No if BIS marked | - | * |
| UTILITY | Utility | Men | Men |
| CLASSIFICATION | Classification | Class I (Footwear | Class I (Footwear |

| | | | |
|--------------------------|---|---|---|
| | | made from leather and other materials, excluding all-rubber or all-polymeric footwear) | made from leather and other materials, excluding all-rubber or all-polymeric footwear) |
| DESIGN | Design | A (Low shoe) | A (Low shoe) |
| PATTERN | Pattern | Derby | * |
| SIZE | Size | Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements | Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements |
| MASS | Mass of one pair of Footwear (gram) | - | * |
| Material | Upper for Class 1 Footwear | Leather | Leather |
| | Surface Finish of Upper Leather for Class 1 Footwear | Zuggrain Print | Zuggrain Print |
| | Material for Class II Footwear | Not applicable | Not applicable |
| | Any other Polymeric Material for Class II Footwear | - | * |
| | Vamp Lining | With (Classification I and Classification II Footwear) | With (Classification I and Classification II Footwear) |
| | Vamp Lining Material | Leather | Leather |
| | Quarter Lining | Yes | Yes |
| | Quarter Lining Material | Leather | Leather |
| | Toe Cap | (Steel) Metallic | (Steel) Metallic |
| COLOUR | Colour | As per buyers requirements | * |
| | Any other Colour as per buyer's requirements | - | * |
| OTHER REQUIREMENTS | Insole | Yes | Yes |
| | Insocks | Full Insocks Non Removable | Full Insocks Non Removable |
| | Tongue (For Designation I Footwear) | Not Applicable for Designation II Footwear | Not Applicable for Designation II Footwear |
| | Collar | Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter | Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter |
| LACING/ CLOSING OF SHOES | Closing (Tying) | Laces | Laces |

| | | | |
|--|---|---|--|
| | Lacing of Shoes | Eyelets | Eyelets |
| | Eyelets (Pairs) | 4 pairs | 4 pairs |
| | Material of Eyelets | Aluminium | Aluminium |
| | Laces | Nylon | * |
| | Cross Section Shape of Laces | Flat | * |
| | Breaking Load of Laces (min) | 600 N | * |
| | Length of Laces | 90 cm | * |
| SOLE | Sole Description/ Material | Leather | Leather |
| | If Any Other Material of Sole | - | * |
| | Sole Design | Non Cleated | Non Cleated |
| | Construction | Multi layer | Multi layer |
| SLIP RESISTANT | Slip Resistant | As per clause 5.3.5.2 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution | As per clause 5.3.5.2 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution |
| ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS- WHOLE FOOTWEAR | Additional Requirements for Special Applications- Whole Footwear | Penetration Resistance (Metallic anti-penetration insert),Penetration Resistance (Non-metallic anti-penetration insert),Electrical Properties-Conductive Footwear,Anti-static Footwear,Electrically Insulating Footwear,Heat Insulation of Sole Complex,Cold Insulation of Sole Complex,Energy absorption of seat region,Water resistance,Metatarsal protection,Ankle protection,Cut resistance | Penetration Resistance (Metallic anti-penetration insert), Penetration Resistance (Non-metallic anti-penetration insert), Electrical Properties-Conductive Footwear, Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance |
| ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (UPPER) | Water penetration and absorption | No | No |
| ADDITIONAL REQUIREMENTS FOR | Additional Requirements for | Resistance to hot contact,Resistance to | Resistance to hot contact, Resistance to |

| | | | |
|-------------------------------------|---|----------------|----------|
| SPECIAL APPLICATIONS (OUTSOLE) | Special Applications- Outsole | fuel oil | fuel oil |
| LOGO AND MARKING | Logo/ Totem/ Emblem Marking | No | No |
| | Size, design, Type and Location of Logo as per buyer's requirement | - | * |
| Test Report | Availability of Test Report from Designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification | No | No |
| | Name of the Lab | - | * |
| | Address of the Lab | - | * |
| | Test Report No | - | * |
| | Test Report Date | - | * |
| | Test reports to be furnished to buyer on demand, if claimed to be available | Not Applicable | * |
| ADVANCE SAMPLE | Agree to provide Advance Sample(s) for buyer's approval before commencement of supply | Yes | Yes |

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | Mohd Jehangir Khan | 180001, Van Bhawan, Below Gumat, Jammu | 2940 | 30 |

Bid Specific Additional Terms and Conditions

1. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as

indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---