

RA Document

RA Details	
RA Technical End Date/Time	27-07-2020 15:00:00
RA Opening Date/Time	27-07-2020 15:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Production
Organisation Name	Bharat Earth Movers Limited (beml)
Office Name	*****
Total Quantity	750
Item Category	Industrial Safety Helmet
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Inspection Required	No
Estimated RA Value	169500

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

RA splitting not applied.

Industrial Safety Helmet (750 pieces) (Under PAC)

Make	karam
Model	karam(pn516)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Item	Item	Industrial Safety Helmet	Industrial Safety Helmet
Specification	Conforming to specification- Industrial Safety Helmets as per IS specification no 2925-latest	Yes	Yes
Certification	ISI marking (for Industrial Safety Helmets as per IS 2925-latest)	Yes	Yes, No
Material	Material Construction of the non-metallic shell	Polypropylene	Polypropylene, High-density polyethylene, Poly Carbonate, ABS
	Material Construction of the inner harness for the head band, anti-concussion tape, etc of safety helmet	Nylon	Nylon
	No metal parts in helmet for use in underground mines	Yes	*
	The Helmets shall be sweat-resistant, non-irritant and shall not cause skin disease	Yes	*
	Ear Muff	No	Yes, No
	Ear Muff Material	N/A	N/A
	Ear muff Pads	NA	*
	Cover of Ear Muff Pad	N/A	N/A
Colour	Colour of Helmet	Yellow	*
Construction	Brim Surrounding the shell	With Peak	With Peak
	No of holes on each side	3	*
	Anti concussion Tapes, Anchoring points	3	*
	Chin Strap	Yes	*
	Nape Strap	Yes	*

	Lamp Bracket	No	*
	Cable Clip	Yes	*
Dimension	Helmet Sizes (mm)	541-550	541-550
	Width of the Head Band (mm)	30-35	30-35
	Diameter of the hole (mm)	3	*
	Interhole (for ventilation) distance(mm)	5-10	*
	Total aggregate area of holes(Sq mm)	200	*
	Width of the Cradle Strap(mm)	22	*
	The strap clearance between the top of the wearer's head and the inside top of the helmet crown (mm)	30-35	*
	The Headband's wearing height (mm)	80-85	*
	Width of Chin Strap(mm)	19-24	*
	Depth of Nape Strap(mm)	115-120	*
	Length of Ear Muff(mm)	NA	*
	Width of Ear Muff(mm)	NA	*
	Thickness of Ear Muff(mm)	NA	*
Material Mass	Mass of Helmet without attachments(gram)	350	300, 325, 350, 375, 400, 435, 470, 520
Performance	Shock Absorption	Yes	*
	Penetration Resistance	Yes	*
	flammability Resistance	Yes	*
	Electrical Resistance	Yes	*
	Water Absorption	Yes	*
	Heat Resistance	Yes	*
Test Report	Availability of Test Report from the list of approved laboratory as per BIS of Industrial Safety Helmet	Yes	*
	Test Report No	20192345	*

Test Report Date	1042019	*
Name of Lab	KARAM INDUSTRIES	*
Address of Lab	UTTARAKHAND	*
Test Report to be furnished to buyer on demand	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	*****	*****Mysuru	750	15	

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): na
Post Receipt Inspection at consignee site before acceptance of stores: At our stores on receipt before acceptance

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---