

Bid Number: GEM/2020/B/708452

Dated: 13-07-2020

Bid Document

Bid Document				
Bid Details				
Bid End Date/Time	23-07-2020 16:00:00			
Bid Opening Date/Time	23-07-2020 16:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Ministry Of Railways			
Department Name	Na			
Organisation Name	N/a			
Office Name	Office Of Principal Chief Materials Manager, South Western Railway, Hubli			
Total Quantity	2			
Item Category	Revolving Chair			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (2 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	ABS Plasstic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	ABS Plasstic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proypylene	Proypylene
	seat material	PU Foam covered with Fabric	PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	40	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	32	*
	Material of Fabric Back Cover / Material for Backrest	Leatherite	Leatherite, N.A
	Material of Fabric of Seat Cover	leatherite	leatherite
	GSM/Thickness of fabric ±5%(Gram/Square meter)	220 gram	*
GENERAL	Chair Type	central tilt	central tilt
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm
	Arm	With	With
	Type of backrest support	backrest symmetrical lumber support	backrest symmetrical lumber support
	Arm Type	Fixed	Fixed
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	fixed	fixed
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*

	backrest has separate adjustable headrest	Yes	Yes
	Seat type	fixed	fixed
	Seat is curved	No	*
	Locking mechanism	Yes	*
	Type of locking	upright locking	*
	Number of arm movement	N.A	N.A
	Lumber support	N.A	N.A
DIMENSION	Overall Chair Height ±15mm	1125	1125
	Backrest Height ±15mm	730	730.0
	Backrest Width ±10mm	550	550.0
	Seat Height ±15 mm	480	480
	Seat Width ±10 mm	550	550
	Seat Depth ±10 mm	520	520.0
	Thickness of MS Plate Joining the under structure with Seat	2	2.0
	Thickness of Plywood used in Seat ±1(mm)	15 mm	15 mm
	Thickness of Plywood used in Backrest ± 1(mm)	15 mm	15 mm
	Padestal Size (Diameter in mm) +/- 10 mm	620	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm	50 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA Certification	NO	NO

OEM of offered product is ISO 9001:2015 certified	NO	NO
OEM of offered product is ISO 14001:2015 certified	NO	NO
OEM of offered product is ISO 18001:2007 certified	NO	NO
Green guard certification	NO	NO
Aiota	-	NO

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Digvijay M Singh	560009,O/o Divisional Railway Manager, Office Complex, South Western Railway Divisional Office, Bangalore.	2	30

Bid Specific Additional Terms and Conditions

- Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 5. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 6. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
- 7. Timely Servicing / rectification of defects during warranty period: After having been notified

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 5 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---