

Bid Number: GEM/2020/B/705301

Dated: 10-07-2020

Bid Document

Bid Document			
Bid Details			
Bid End Date/Time	20-07-2020 13:00:00		
Bid Opening Date/Time	20-07-2020 13:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Ministry Of Defence		
Department Name	Department Of Defence		
Organisation Name	Indian Air Force		
Office Name	******		
Total Quantity	400		
Item Category	Plain Copier Paper		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Bid to RA enabled	No		
Inspection Required	No		
·			

EMD Detail

Required	No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Plain Copier Paper (400 ream)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformance to Indian Standard	Conforming to IS14490 : Latest	*
	Whether ISI Marked	Yes	Yes
	Give CML number if ISI marked Write NA if not ISI marked	-	*
	Test Method as per IS:1060	Yes	*
Test Report Details	"Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification"	Yes	*
	"Test Report to be Submitted to the Buyer on demand"	Yes	*
Additional Requirements for eco mark	The material shall be manufactured from pulp containing not less than 60% by mass of pulp made from materials other than bamboo,hard woods ,softwoods and reed or the material shall be manufactured from pulp made from 100%waste paper	Yes	*
Size	Size of paper	A4	A4
	GSM of paper	75	75
Quantity	"Number of sheets per Ream"	500	500
Physical Characteristics	"ISO Brightness,perc ent,Min"	90	90
	Opacity percent,Min	88	88
	"One minute Cobb test both sides,g/m2,Max"	30	30
	"Tensile Index Machine Direction (MD) ,Nm/g, Min"	40	40
	Tensile Index Cross Direction(CD),Nm/g, Min	25	25

	"Tear Index in mN m²/g,Machine Direction(MD),Min"	3.5	3.5
	"Tear Index in mN m²/g,Cross Direction(CD)Min,"	4.5	4.5
	"Smoothness for both sides (Bendtsen) in ml/min,Max"	300	300
	"Ash content(900°C) ,percent by mass,Max"	16	16
	Thickness in µm,Min	95	95
	"Moisture content,percent,Max	5	5
	"Taber Stiffness ,Machine Direction(MD),Min"	2	2
	Taber Stiffness ,Cross Direction(CD),Min	1	1
	"Surface Strength Dennison (Wax Pick)"	No pick on 12 A	No pick on 12 A
Packing and Marking	"Packing as per clause 6-1 of IS:14490(Latest)"	Yes	*
	Package should be marked with Description, size of Paper, Quantity, Mass of 500/250 sheets including wrapping paper in kg/ream Chargeable wt should be net wt excluding the wt of packing, Lot Number and month/year of manufacturing, Name of manufacturer	Yes	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

S	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	*****	**************************************	400	15

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---