



Bid Number: GEM/2020/B/681674  
Dated: 22-06-2020

### Bid Document

Bid Details	
Bid End Date/Time	02-07-2020 14:00:00
Bid Opening Date/Time	2020-07-02 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Steel
Department Name	Na
Organisation Name	Steel Authority Of India Ltd
Office Name	Bslp61
Total Quantity	301
Item Category	cloth uniform dope dyed polyester viscose shade khaki pc khaki
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Post Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Estimated Bid Value	33411

### EMD Detail

Required	No
----------	----

### ePBG Detail

--	--

Required

No

**Splitting**

Bid splitting not applied.

**Cloth Uniform Dope Dyed Polyester Viscose Shade Khaki Pc Khaki ( 301 meter )****Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
SPECIFICATION	Governing Specification	Polyester Dope Dyed uniform cloth as per CAPFS(Standard), Circulated vide MHA letter no. IV-2101132010-Prov-I dated 15-12-2010 specification obtainable from DG, CRPF, New Delhi	*
COLOUR	Type Of Dyeing Of Polyester & Viscose Fibre	Dope Dyed	*
	Colour / Shade As per requirements of Table-2A, 2B, 2C, 2D of MHA Specification	Khaki	*
COUNT OF YARN	Count Of Yarn (Warp And Weft )	2 bi 30 s	*
DIMENSIONS	Width ( Excluding Selvedge )	138	*
	Width Of Selvedge Shall Not Exceed 10 mm Manufacturers Name Or Trade Mark (as Declared) Shall Be Woven On Both Selvedges Throughout The Length The Same Shall Be Clearly Visible Even After Processing Or Finishing The Yarn Used For Weaving And Manufacturers Name	Yes	*

	Shall Be Of The Same Colour Of The Body, Woven At An Interval Not Exceeding 30 Cm Between The Two		
	Length	40	*
MASS	Mass in Grams per sq. Mtrs. (gms)	190	*
COMPOSITION	Blend Composition in percent	Polyester- 67 % and Viscose- 33%	*
WEAVE	Weave	Plain	*
TEST REPORT	Availability of Test Report from NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification.	Yes	*
	Test reports to be furnished to buyer on demand	Yes	*
	Name and Address of the Lab	-	*
	Test Report Date	-	*
	Test Report No.	-	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mahendra Singh	827001,Room No- B333, Administrative Building, Bokaro Steel Plant, Bokaro Steel City.	301	30

### Bid Specific Additional Terms and Conditions

- 1. Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): waived  
Post Receipt Inspection at consignee site before acceptance of stores: VISUAL, VERIFICATION OF GC

2. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
3. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**