

Bid Number: GEM/2020/B/708330

Dated: 13-07-2020

Bid Document

	200			
Bid Details				
Bid End Date/Time	20-07-2020 09:00:00			
Bid Opening Date/Time	20-07-2020 09:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Ministry Of Railways			
Department Name	Na			
Organisation Name	N/a			
Office Name	Office Of Principal Chief Materials Manager, South Western Railway, Hubli			
Total Quantity	10			
Item Category	Eco-Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No
· ·	1

ePBG Detail

Required	No
Trequired	110

Splitting

Bid splitting not applied.

Eco-Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate) (10 bottle)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERAL FEATURES	Product Description	Eco- Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate)	*
	Purpose	Ariel Fumigation, Surface disinfection, instrument disinfection, water disinfection etc in hospitals, medical facilities and pharmaceutical plants.	*
	Areas of Application	To disinfect operation theatres, ICUs, polyclinics, pathology labs, diagnostic laboratories, surfaces of hospitals, microbiological labs, manufacturing areas of drugs and pharmaceuticals, storage tanks, loop systems etc.	*
	Hydrogen Peroxide Strength (% w/v)	13% w/v	13% w/v
	Silver Nitrate Strength (% w/v)	0.01% w/v	0.01% w/v
	Completely inactivates all forms of bacteria, fungi and viruses	Yes	*
	Non toxic and eco- friendly	Yes	*
	Non irritating to the eyes	Yes	*
	Non Carcinogenic and Non Mutagenic	Yes	*
	Chlorine Free	Yes	*
	Clear as water	Yes	*

	pH value	8	8
	Odourless	Yes	*
	Miscible with water in any ratio	Yes	*
	Storage condition	-	*
CERTIFICATIONS AND	Type of Seller	Authorized reseller	*
REPORTS	Availability of Valid Drug Manufacturing License issued by Drug authority, if manufacturer	NA	*
	Drug Manufacturing License Number, if manufacturer	-	*
	Drug Manufacturing License Date	-	*
	Availability of Valid sale License issued by Drug authority, if not manufacturer	NA	*
	Valid Drug Sale License Number, if not manufacturer	-	*
	Valid Drug Sale License Date	-	*
	Certifications Available	ISO	ISO
	Availability of safety data sheet of the product	Yes	*
	Availability of Test report from Central Govt/State Govt/NABL/ILAC accredited Lab to prove the conformity to the declared specification	Yes	*
	Submission of copies of all the certifications, licenses and test reports to the buyer on demand	Yes	*
PACKAGING AND MARKING	Packed in a suitable well closed container and the container should not have any deleterious effect on the product	Yes	*

	Pack Size	1 Liter	1 Liter
	The container shall be labelled and marked as per Drugs and cosmetics act	Yes	*
	Price Unit	Each Container	*
SHELF LIFE	Shelf Life (Years) from the date of manufacturing	2	2
	The product should have shelf life of at least 2/3rd of the total shelf life at the time of supply	Yes	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Bhalekar Yogesh Bhimsen	560036,O/o Office of Senior Divisional Mechanical Engineer, Diesel Shed, South Western Railway, Krishnarajapuram, Bangalore-560036	10	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components): Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.