

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 17:00:00
Bid Opening Date/Time	27-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Southern Railway
Total Quantity	30
Item Category	chairs-office
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Chairs-office (30 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	polyster	polyster
	Thickness of Plywood used in Backrest IN MM (± 1 mm)	12 mm	*
	Frame Material	CRCA ERW round pipe	CRCA ERW round pipe
	Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	35 Kg/Cub.M	*
	Material of Fabric of Seat Cover	fabric	fabric
	Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	35 Kg/Cub.M	*
	Thickness of Plywood used in Seat ± 1(mm)	12 mm	12 mm
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	220 Gram per Sq Meter	220 Gram per Sq Meter
	Arm Material	CRCA pipe	CRCA pipe
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	25 mm	25 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	40 mm	40 mm
	Shoe Type	PVC	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Padded with Polyurethane Foam	Padded with Polyurethane Foam
	Frame Type	Cantilever	Cantilever

	Castors	Without	Without
DIMENSION	Size of Material (mm)	14 SWG 25 mm round pipe	14 SWG 25 mm round pipe
	Chair Height ±15(mm)	850 mm	850 mm
	Seat Depth ±10(mm)	450 mm	450 mm
	Seat Width ±10 (mm)	450 mm	450 mm
	Seat Height IN MM ±5(mm)	430	430
	Backrest Width ±10(mm)	450 mm	450 mm
	Backrest Height ±10(mm)	400 mm	400 mm
	Arm Length ±5(mm)	300 mm	300 mm
	Arm Width ±2(mm)	40 mm	40 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	blue	*
	Paint Type	powder coated on MS	powder coated on MS
	Colour of Paint	black	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
WARRANTY	Warranty period in number of years	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shankar U	600003,Office of the Senior Divisional Material Manager, Electrical (Traction Distribution) Branch, 4th floor, Southern Railway, Park Town,Chennai-600003	30	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---