

### Bid Document

Bid Details	
Bid End Date/Time	16-07-2020 17:00:00
Bid Opening Date/Time	16-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Power
Department Name	Contracts And Materials
Organisation Name	N/a
Office Name	Ntpc Ltd Er-i Hq Patna
Total Quantity	25
Item Category	Executive Table ( <b>PAC Only</b> )
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent

Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

### Executive Table ( 25 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinteriofinnesse5630maintableeru5216mobilepedestal

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	One side	One side
	<b>Keyboard tray</b>	Not provided	Not provided
	<b>Foot rest</b>	Not Provided	Not Provided
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	NO LEGS	NO LEGS
MISC	Table top long sides	To be post form half round profile with corner edge bending	*

DIMENSION	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	N.A	*
	<b>Thickness of table top <math>\pm 2</math> mm</b>	25	25.0
	Thickness of gable end and modesty panel $\pm 2$ mm	19	*
	<b>Length of table top <math>\pm 10</math> mm</b>	1650	1650.0
	<b>Depth of table <math>\pm 10</math> mm</b>	900	900.0
	<b>Height of table <math>\pm 10</math> mm</b>	750	750.0
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	No legs	No legs
STORAGE UNIT	<b>Number of Storage unit provided</b>	Single storage	Single storage
	Width of storage unit $\pm 10$ mm	400mm	*
	Depth of storage unit in mm ( $\pm 10$ mm)	470	*
	Height of smallest storage unit $\pm 5$ mm	N.A	*
	Height of medium storage unit $\pm 5$ mm	150mm	*
	Height of largest storage unit $\pm 5$ mm	305mm	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustablity	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channe $\pm 10$ mm	N.A	*
	Average weight of	N.A	*

	telescopic channel ±50Gms		
	Keyboard front width±10mm	N.A	*
	Keyboard depth±10mm	N.A	*
	Keyboard height±10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray ±1mm	N.A	*
FOOTREST	Material of footrest	N.A	*
	Length of footrest ±10mm	N.A	*
	Depth of footrest ±10mm	N.A	*
	Height of footrest ±10mm	N.A	*
	Finish of exposed edges	N.A	*
	<b>Material thickness of footrest ±2mm</b>	N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	As per Buyer's choice	*
WARRANTY	<b>Warrantee period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>Product having BIFMA certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES

	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES
--	---	-----	-----

\* Specifications highlighted in bold are the Golden Parameters.  
 \* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

**Additional Specification Documents**

---

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Virendra Kumar	851116,NTPC Limited, Barauni Thermal Power Station, Distt - Begusarai, PIN - 851116	25	30

**Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**