

Bid Number: GEM/2020/B/716546 Dated: 18-07-2020

### **Bid Document**

Bid Details					
	T				
Bid End Date/Time	21-07-2020 18:00:00				
Bid Opening Date/Time	21-07-2020 18:30:00				
Bid Life Cycle (From Publish Date)	90 (Days)				
Bid Offer Validity (From End Date)	60 (Days)				
Ministry/State Name	Ministry Of Railways				
Department Name	Na				
Organisation Name	N/a				
Office Name	West Central Railway				
Total Quantity	30				
Item Category	blood pressure recording units				
MSE Exemption for Years of Experience and Turnover	No				
Startup Exemption for Years of Experience and Turnover	No				
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer				
Bid to RA enabled	No				
Inspection Required	No				

## **EMD Detail**

Required	No

# ePBG Detail

ı	Required	No
ı	rrequired	140

# Splitting

Bid splitting not applied.

# **Blood Pressure Recording Units (30 pieces)**

# **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONFIGURATION DETAILS	Type Of SPHYGMOMANOMETERS or Blood Pressure recording unit:	Digital	Digital
	Conformity to Indian Standrad for SPHYGMOMANOMETERS	NA for digital	NA for digital
	Measuring device	Automated	Automated
	Туре	Portable	Portable
	ISI MARKED	NA for digital	NA for digital
	CM/L No and validity date	-	*
	Measurement Method	others	others
	Display for Digital BP instrument:	LCD(Liquid Crystal Digital) Display	LCD(Liquid Crystal Digital) Display
	Range: Pressure measurement (mmHg)	0 to 300	*
	Range:Pulse measurement for digital with accuracy ± 5%. (per minute)	40 to 200	*
	Accuracy:Pressure measurement (mmHg)	+/- 3	*
	Pressure Detection	Capacitive Pressure sensor	*
	Inflation	Automatic Pressure Application by pump	Automatic Pressure Application by pump
	Deflation and rapid Air Release	Automatic Pressure Release Valve	Automatic Pressure Releas Valve
	<b>Cuff Range</b>	Medium (22-32)cm	Medium (22-32)cm
	Dimensions of the Equipment (mmXmm)	-	*
	Dimensions of the Display screen (mmXmm)	-	*
	Operating Temperature range	0 to 55 degree Celsius	*
	Stroage Temperature range	(-10) to 55 degree Celsius	*
	Automatic power off if system is idle for 3 minutes.	Yes	*
	Weight (in gram)	-	*
Power	Power Source:	AA size chargeable battery set	AA size chargeable battery set
	Type of AA Size chargeable Battery (AA Size)	Lithium	Lithium
WARRANTY, CERTIFICATIONS, TEST	Warranty Period (in Year)	1	1
REPORTS	Availability of Type Test Report covering complete test parameters as per IS3390 latest for Mercurial and IS7652 latest for Aneriod type, from any ILAC/NABL	Yes	*

*
*
*
*
*
*
*
_

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### **Additional Specification Documents**

# Consignees/Reporting Officer and Quantity

	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sunanda Patil	482002,MEDICAL DIRECTOR, CENTRAL HOSPITAL INDIRA MARKET JABALPUR	30	15

# **Bid Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components) : Only supply of Goods 2. ISO 9001: The bidder must have ISO 9001 certification.

This Bid is also governed by the General Terms and Conditions

---Thank You---