

Bid Number: GEM/2020/B/681641

Dated: 22-06-2020

### **Bid Document**

Bid Document				
Bid Details				
Bid End Date/Time	02-07-2020 12:00:00			
Bid Opening Date/Time	2020-07-02 12:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	80 (Days)			
Ministry/State Name	Pmo			
Department Name	Department Of Atomic Energy			
Organisation Name	Uranium Corporation Of India Limited			
Office Name	Kadapa			
Total Quantity	4			
Item Category	chairs-office			
Experience Criteria	1 Year (s)			
MSE Exemption for Years Of Experience	Yes			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

#### **EMD Detail**

Required	No

#### ePBG Detail

Doguirod	l No.	
Required	No	
	-	

# Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM

{themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

## Chairs-office ( 4 pieces )

## **Technical Specifications**

### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	solid wood	solid wood
	Material of Fabric Back Cover	knitted with cane	knitted with cane
	Thickness of Plywood used in Backrest IN MM (±1 mm)	12 mm	*
	Frame Material	MS ERW tube	MS ERW tube
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	N.A	*
	Material of Fabric of Seat Cover	knitted with cane	knitted with cane
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	N.A	*
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	N.A	*
	Arm Material	wooden teak	wooden teak
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	N.A	N.A
	Thickness of	40 mm	40 mm

	Polyurethane Foam Used in Seat IN MM (+/- 3 mm)		
	Shoe Type	nylon rubber	nylon rubber
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	Yes	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Made of Polythene cane	Made of Polythene cane
	Frame Type	Cantilever	Cantilever
	Castors	With	With
DIMENSION	Size of Material (mm)	14 SWG 25 mm round pipe	14 SWG 25 mm round pipe
	Chair Height ±15(mm)	700 mm	700 mm
	Seat Depth ±10(mm)	400 mm	400 mm
	Seat Width ±10 (mm)	380 mm	380 mm
	Seat Height IN MM ±5(mm)	400	400
	Backrest Width ±10(mm)	380 mm	380 mm
	Backrest Height ±10(mm)	300 mm	300 mm
	Arm Length ±5(mm)	200 mm	200 mm
	Arm Width ±2(mm)	25 mm	25 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	N.A	*
	Paint Type	polished	polished
	Colour of Paint	teak shade	*
ERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NO	*
	Test reports to be furnished to buyer on demand	NO	YES, NO
	BIFMA certification	NO	*
	OEM of offered product is ISO 9001:2015 certified	NO	YES, NO
	OEM of offered product is ISO 14001:2015 certified	NO	YES, NO

	OEM of offered product is ISO 18001:2007 certified	NO	YES, NO
•	Warranty period in number of years	1	1

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

## **Additional Specification Documents**

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	4	20

# **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.