

Dated: 13-07-2020



Bid Document

Bid Details
23-07-2020 18:00:00
23-07-2020 18:30:00
90 (Days)
80 (Days)
Assam
Co-operation Department, Assam
West Assam Milk Producers Cooperative Union Ltd
Panjabari
1
FTIR Technology based Milk Analyser
42 Lakh (s)
300 Lakh (s)
3 Year (s)
No No
No
Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
80 %
No
No
8500000

EMD Detail

Advisory Bank	State Bank of India	
EMD Percentage(%)	0.50	
EMD Amount	42500	

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	12

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Sr Executive Purchase The West Assam Milk Producers Cooperative Union Ltd(Purabi Dairy),Juripar,Panjabari,Guwahati,Assam,781037 (Sandhya Kalita)

Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

FTIR Technology Based Milk Analyser (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Compliance to EMC directive 89/336/EC	Yes	*
	Compliance to Low- voltage directive 73/23/EC	Yes	*
	Compliance to ISO 9622/IDF 141	Yes	*
	Compliance to AOAC approved method	Yes	*
Construction	Input Power Supply	110-240V, 50 Hz	*
	Product Height	382	*
	Product Weight	80	*
	Product Width	850	*
	Product Depth	543	*
Functional Parameter	Standard parameters	Fat,Protein,Lactose,Tot al Solids,SNF	Fat, Protein, Lactose, Total Solids, SNF
	Measuring Parameters for Cream	Fat,Protein,Lactose,Tot al Solids,SnF,FPD	*
	Adulterants Screening Parameter	Ammonium Sulphate,D etergent,Glucose,Malto se,Melamine,Salt,Sodiu m Carbonate,Sodium Ci trate,Sorbitol,Starch,Su crose,Urea,Vegetable Oil,Formaldehyde	Ammonium Sulphate, Detergent, Glucose, Maltose, Melamine, Salt, Sodium Carbonate, Sodium Citrate, Sorbitol, Starch, Sucrose, Urea, Vegetable Oil, Formaldehyde
	Technology Used	FTIR	*
	Measuring Parameters for Yogurt	Fat,Protein,Total Solids,SnF	*
	Measuring Parameters for Ice Cream	Fat,Protein,Lactose,Tot al Solids,SNF	*
	Additional parameters	Total Acidity, Density, FP D, FFA, Citric Acid, Casein , Urea, Glucose, Galactos e, True Protein, NPN, pH, Sucrose, Fructose	*
	Milk Type	Cow Milk,Goat Milk,Sheep Milk,Buffalo Milk,Mix Milk	*

Measuring Parameters for Whey	Fat,Protein,Lactose,Tot al Solids,Total Acidity	*
Measuring Parameters for Milk	Fat,Protein,Lactose,Tot al Solids,SnF,FPD,Total Acidity,Density,FFA,Citr ic Acids,Urea,Casein,Gl ucose,Galactose	*
Sample Type	Milk,Cream,Whey,Ice Cream Mix,Yogurt Mix,UHT,WPC,Permeate	Milk, Cream, Whey, Ice Cream Mix, Yogurt Mix, UHT, WPC, Permeate
Sample Temperature (Min.)	5	*
Measuring range for Total Solids (%)	0% - 80%	*
Maximum Measuring range for Fat (%)	0% - 70%	*
Compatible Software for Documentation and Presentation provided with equipment	Yes	*
Sample Volume	8	*
Adequately Sealed and Protected Optical System	Yes	*
Accuracy (CV)	<=1 %	*
Measuring range for Lactose (%)	0% - 30%	*
Sample Temperature (Max.)	55	*
Automatic and Programmable Cleaning	Yes	*
Analysis Time	30	*
Repeatability (CV)	<=0.25%	*
Maximum Measuring range for Protein (%)	0% - 30%	*
Software Capability	both	both
System operating software should be provided to drive all units	Yes	*
Monitor type	LCD	*
Hard Drive (HDD) in GB	500	500
System software	Yes	*
	for Whey Measuring Parameters for Milk Sample Type Sample Temperature (Min.) Measuring range for Total Solids (%) Maximum Measuring range for Fat (%) Compatible Software for Documentation and Presentation provided with equipment Sample Volume Adequately Sealed and Protected Optical System Accuracy (CV) Measuring range for Lactose (%) Sample Temperature (Max.) Automatic and Programmable Cleaning Analysis Time Repeatability (CV) Maximum Measuring range for Protein (%) Software Capability System operating software should be provided to drive all units Monitor type Hard Drive (HDD) in	for Whey Measuring Parameters for Milk Measuring Parameters for Milk Fat,Protein,Lactose,Tot al Solids,SnF,FPD,Total Acidity,Density,FFA,Citr ic Acids,Urea,Casein,Gl ucose,Galactose Milk,Cream,Whey,Ice Cream Mix,Yogurt Mix,UHT,WPC,Permeate Sample Temperature (Min.) Measuring range for Total Solids (%) Maximum Measuring range for Fat (%) Compatible Software for Documentation and Presentation provided with equipment Sample Volume Adequately Sealed and Protected Optical System Accuracy (CV) Measuring range for Lactose (%) Sample Temperature (Max.) Automatic and Programmable Cleaning Analysis Time Repeatability (CV) Maximum Measuring range for Protein (%) Software Capability Monitor type LCD Hard Drive (HDD) in Milk,Cream,Whey,Ice Cream Mix,Yogurt Mix,UHT,WPC,Permeate 5

	quantitative analysis		
	Ethernet Speet (GB)	1	*
	Monitor screen size (Inches)	19	*
	Interface	RS-232,USB,Ethernet	*
	RAM in GB	8	8
	Processor frequency (GHz)	3.75-4.0	*
	Computer provided with system	Yes	Yes, No
	Suitable printer provided with instrument	Yes	Yes
	MS office & Operating system Provided	NA	*
	No. of USB Ports	4	*
	DVD R/W Drive	Yes	*
	Specify in case of others for processor	-	*
	Processor	i5	i5
Installation & training	No. Appropriate Reagents and Consumables sample for IBC (Approx)	12000	*
	Supplier capable to supply appropriate Reagents and Consumables sample as and when required	Yes	*
	No. of days of training program	3	*
	No of people to be trained in training program	5-10	*
	Service facility & engineer available pan India,break down sevice availability time	24-72 Hours	*
	Spares and Preventive Maintainance kits and Accessories for routine operation	Yes	*
	No of training sessions executed	10	*
Warranty & services	Number of Installations in previous financial year	<=50	*

	Ability of supplier to provide spares/consumables upto 10 years of supply(Separate purchases not included in this purchase)	Yes	*
	Warranty Extension in case of Breakdown for more than 30 days due to Manufacturing Defects/Faulty Spares	Yes	*
	Warranty from date of installation(System & all other parts) in years	1	1

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Sandhya Kalita	781037,RK Jyotiprasad Agarwala Road , Panjabari	1	70

Bid Specific Additional Terms and Conditions

- 1. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 3. Scope of supply (Bid price to include all cost components): Supply Installation Testing

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

- Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 4. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

This Bid is also governed by the General Terms and Conditions

---Thank You---