

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 10:00:00
Bid Opening Date/Time	20-07-2020 10:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	Central Organisation For Railway Electrification (core)
Office Name	Head Quarters
Total Quantity	3
Item Category	Revolving Chair
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	14364

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Chrome finish with 5 wheels	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size, ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, , Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Aluminium Alloy With Nylon Twin Caster Wheels Minimum Of 50-70 Diameter, Wooden Cladded With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Chrome finish with 5 wheels
	Arm Material	Proppylene	Proppylene
	seat material	PU Foam covered with Fabric	PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	40	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA	*
	Material of Fabric	mesh fabric	mesh fabric

GENERAL	Back Cover / Material for Backrest		
	Material of Fabric of Seat Cover	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram	*
	Chair Type	central tilt	central tilt
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm
	Arm	With	With
	Type of backrest support	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has separate adjustable headrest	No	Yes, No
	Seat type	fixed	fixed
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	upright locking	*
	Number of arm movement	2(up & down)	2(up & down), 4(up & down end left & right), 6(Up & Down,Left & Right And Swivel), 8(Up & Down,Left & Right,Swivel And Front & Back), N.A, 6 (UP and down, front and back, swivel), 4 (UP and down, front and back)
	Lumber support	external & adjustable	integrated, external & fixed, external & adjustable, N.A, Cushioned and upholstered Lumbar Support

DIMENSION	Overall Chair Height ±15mm	1080	1080
	Backrest Height ±15mm	520	520.0
	Backrest Width ±10mm	520	520.0
	Seat Height ±15 mm	480	480
	Seat Width ±10 mm	460	460
	Seat Depth ±10 mm	500	500.0
	Thickness of MS Plate Joining the under structure with Seat	2	2.0
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	12 mm, 15 mm, 18 mm, N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	35 mm	35 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	35 mm	35 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	YES, NO
	BIFMA Certification	YES	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 18001:2007 certified	YES	YES, NO
	Green guard certification	NO	YES, NO

	Aiota	-	YES, NO
--	--------------	---	---------

* Specifications highlighted in bold are the Golden Parameters.
 * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Amit Kumar Meena	331023,Office of the AEE/RE, Near Railway Club, Loco Railway Colony Sadulpur Distt. Churu, Rajasthan (Pin-331023)	3	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---