

Bid Number: GEM/2020/B/702987

Dated: 08-07-2020

# **Bid Document**

Did Dataile				
Bid Details				
Bid End Date/Time	18-07-2020 17:00:00			
Bid Opening Date/Time	18-07-2020 17:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Jammu & Kashmir			
Department Name  Housing And Urban Development Department And Kashmir				
Organisation Name	N/a			
Office Name	Directorate Of Urban Local Bodies Jammu			
Total Quantity	1			
Item Category	Hopper Tipper Dumper ( PAC Only )			
Bidder Turnover (Last 3 Years)	4 Lakh (s)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Experience Criteria, Past Performance, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Past Performance	80 %			
Bid to RA enabled	No			
Inspection Required	No			

## **EMD Detail**

Required	No
l ·	

## ePBG Detail

l   Required	l No	
Required	INO	
I I		

## Splitting

Bid splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

# Hopper Tipper Dumper (1 pieces) (Under PAC)

Make	baxy
Model	cepltipper-1.8cum-side-tipping

## **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Chassis Certification	ARAI	*
	Chassis Certification ARAI/VRDE/ICAT No	AAPN0277 Dt20-Mar-20	*
	At the time of supply of the equipment, the chassis should not be more than 6 months old	Yes	*
Generic Parameters	Type of TIPPER	Garbage Tipper	Garbage Tipper
	Type of TIPPER if other tipper ,please declare type of Tipper,	TwinIndependentHoper	*
	Make of Chassis	TATA ACE GOLD	*
	Type of Chassis Frame	Conventional	*
	Category of Vehicle for which Chassis to be used	Light Capacity Commercial Vehicles	Light Capacity Commercial Vehicles
	Type of Chasssis	Chassis with Facecowl	*
	Type of Fuel	Diesel	Diesel
	Vehicle Emission Complaince	BS-VI	BS-VI
	Fuel Consumption ( declared by OEM as certified by Test Agency under Rule	21	*

115of CMVR 1989) (Kmpl)			
Speed, Max (Km/Hr)	60	*	
Max Engine Power BHP (BHP@rpm)	19.71	More than 19.71 Or higher	
Rated RPM at Max Engine Power	3600	*	
Max Engine Torque (N-M@rpm)	45	Any applicable numeric value	
Rated RPM at Max Engine Torque	3600	*	
Main Engine Aspiration	Natural Aspiration	Natural Aspiration	
No. of Cylinder in Main Engine (Nos)	2	*	
Fuel Tank Capacity (Ltrs)	30	*	
Gradeability of Vehicle with load( %)	13.2	*	
Ground Clearance (mm)	160	*	
Wheel Base (mm)	2100	*	
Kerb Weight (Kg)	925	*	
Gross Vehicle Weight (Kg)	1675	More than 1675.0 Or higher	
Type of BIS MARKED Vehicle Tyre	Radial	*	
Chassis Transmission System	Manual	Manual	
Number of Speed/ Forward Gears	5	*	
Type of Steering	Manual	Manual	
Turning Radius,Min (mm)	4300	Less than 4300.0 Or lower	
Speed Governers/ECU	Yes	*	
ABS Fitted	No	*	
Front Vehicle Brake	DISC	*	
Rear Vehicle Brake	DRUM	*	
Type of Clutch	Single Plate Dry	*	
Tipping Angle (Degree)	85	*	
Tipper Container cap acity/Volume(cubic metres)	1.8	1.8 - 20.0 Or higher	

Consructional Parameters	Size Of Front Tyres (mm)	145 R12	*
	Size Of Rear Tyres (mm)	145 R12	*
	Size of Wheel (mm)	304.8	*
	Tipper body Pivot length (mm)	0	*
	Tipper body Length (mm)	1550	*
	Tipper Body Height (mm)	850	*
	Overall Height of Tipper from Ground (mm)	1660	*
	Body Plate Thickness (mm)	2	*
	Main Frame Thickness (mm)	3	*
	Hydraulic System	Yes	*
	Tipping Hydraulic Cylinders(Make)	Dantal/Liftwell/Eqv	*
	Hydraulic System Driven by	Main Engine	*
	Tipper Container	Mild Steel	Mild Steel
	Material		
	Thickness of sheet from tipper Collector Container Made (mm)	1.6	*
	Thickness of sheet from tipper Collector	1.6	*
	Thickness of sheet from tipper Collector Container Made (mm)		
	Thickness of sheet from tipper Collector Container Made (mm) Dumping Height (mm) Engine Oil Pressure Level Indicator in	1200	
	Thickness of sheet from tipper Collector Container Made (mm)  Dumping Height (mm)  Engine Oil Pressure Level Indicator in Control Panel  Fuel Gauge Indicator in	1200 Yes	*
	Thickness of sheet from tipper Collector Container Made (mm) Dumping Height (mm) Engine Oil Pressure Level Indicator in Control Panel Fuel Gauge Indicator in Control Panel Engine Cooling Liquid Temperature Indicator	1200 Yes Yes	* *
	Thickness of sheet from tipper Collector Container Made (mm)  Dumping Height (mm)  Engine Oil Pressure Level Indicator in Control Panel  Fuel Gauge Indicator in Control Panel  Engine Cooling Liquid Temperature Indicator in Control Panel	1200 Yes Yes	*  *  *
	Thickness of sheet from tipper Collector Container Made (mm) Dumping Height (mm) Engine Oil Pressure Level Indicator in Control Panel Fuel Gauge Indicator in Control Panel Engine Cooling Liquid Temperature Indicator in Control Panel Operating Hour Meter Locking/Unlocking of Tipper Discharge	1200 Yes Yes Yes No	*  *  *  *  *
	Thickness of sheet from tipper Collector Container Made (mm) Dumping Height (mm) Engine Oil Pressure Level Indicator in Control Panel Fuel Gauge Indicator in Control Panel Engine Cooling Liquid Temperature Indicator in Control Panel Operating Hour Meter Locking/Unlocking of Tipper Discharge Container Lowering/Lifting of Tipper Discharge	1200 Yes Yes Yes No Yes	*  *  *  *  *  *  *

	(kg)		
	Paint	Automotive Paint	*
Performance Parameters	Standard Sparewheel and Tool Kit	Yes	*
	Warranty Time (Month)	12	12.0
	No. Of Free Service (Nos)	3	*
	Battery Warranty (Months)	12	12, 24, 36 Or higher
	Warranty Distance (Km)(Unlimited during warranty Period)	Yes	*

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Narinder Singh	184152,OFFICE OF THE MUNICIPAL COMMITTEE LAKHANPUR	1	30

# **Bid Specific Additional Terms and Conditions**

- 1. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 2. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 3. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. ISO 9001: The bidder must have ISO 9001 certification.
- 5. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

This Bid is also governed by the General Terms and Conditions

---Thank You---