

Bid Number: GEM/2020/B/708804

Dated: 13-07-2020

Bid Document

| Document | | | |
|-----------------------|--|--|--|
| Bid Details | | | |
| 23-07-2020 18:00:00 | | | |
| 23-07-2020 18:30:00 | | | |
| 90 (Days) | | | |
| 30 (Days) | | | |
| Ministry Of Defence | | | |
| Department Of Defence | | | |
| Indian Army | | | |
| ****** | | | |
| 35 | | | |
| Classroom Chairs | | | |
| No | | | |
| 54180 | | | |
| | | | |

EMD Detail

| Required | No |
|----------|----|
| · · | |

ePBG Detail

| 1 1 | | |
|--------------|---------|--|
| ll Dan Paral | L R L - | |
| Required | INo | |
| Negan ea | 1110 | |
| 1 1 | | |

Splitting

Bid splitting not applied.

Classroom Chairs (35 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|------------------------------|--|--|--|
| Seat Details | Thickness of Cushion Used in Seat in mm (+/- 2 mm) | No Cushion | * |
| | Density of Cushion Used in Seat (Kg/Cubic Metre) | No Cushion | * |
| | Material of Fabric of Seat Cover | No Cusihion No Cover | * |
| GENERIC | Chair Type | One Arm with fixed Writing pad on one side other side open | One Arm with fixed Writing pad on one side other side open |
| | Type of Seat and Backrest | Perforated M s sheet of 1.2 mm | Perforated M s sheet of 1.2 mm |
| | Depth of Seat in mm (+/- 10 mm) | 360 | * |
| | Height of Seat in mm (+/- 10 mm) | 440 | * |
| | Width of Seat in mm (+/- 10 mm) | 400 | * |
| | Overall Chair Height in mm (+/- 10 mm) | 800 | * |
| Backrest Details | Density of Cusion Used in Backrest (Kg/Cubic Metre) | No Cushion | No Cushion |
| | Thickness of Cushion in Backrest in mm (+/- 2 mm) | No Cushion | No Cushion |
| | Material of Fabric of Backrest Cover | No ciushion no cover | No ciushion no cover |
| | Width of Backrest (mm) | 400 | * |
| | Height of Backrest (mm) | 440 | * |
| SUPPORT / UNDER STRUCTURE | Frame Material | Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum | Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum |
| | Under Storage provided below the Seat | NO | * |
| | Material of under storage - write NA if not applicable | - | * |

| Length of Under Storage (mm) - write NA if not applicable | - | * |
|---|--|--|
| Width of Under Storage (mm) - write NA if not applicable | - | * |
| DEPTH of Under Storage (mm) - write NA if not applicable | - | * |
| Writing Pad Material | 18 mm thick prelaminated Particle Board | 18 mm thick prelaminated Particle Board |
| Writing Pad Size (Length X Width in mm) | - | * |
| Colour of Fabric for Seat and Backrest | No Fabric | * |
| Finishing of Structure | Powder coated | * |
| Warranty period in number of years | 1 | 1 |
| Test reports to be furnished to buyer on demand | NO | * |
| Product having BIFMA certification | NO | NO |
| OEM of offered product is ISO 9001:2015 certified | NO | NO |
| OEM of offered product is ISO 14001:2015 certified | NO | NO |
| OEM of offered product is ISO 18001:2007 certified | NO | NO |
| | Storage (mm) - write NA if not applicable Width of Under Storage (mm) - write NA if not applicable DEPTH of Under Storage (mm) - write NA if not applicable Writing Pad Material Writing Pad Size (Length X Width in mm) Colour of Fabric for Seat and Backrest Finishing of Structure Warranty period in number of years Test reports to be furnished to buyer on demand Product having BIFMA certification OEM of offered product is ISO 9001:2015 certified OEM of offered product is ISO 14001:2015 certified | Storage (mm) - write NA if not applicable Width of Under Storage (mm) - write NA if not applicable DEPTH of Under Storage (mm) - write NA if not applicable Writing Pad Material Writing Pad Size (Length X Width in mm) Colour of Fabric for Seat and Backrest Finishing of Structure Warranty period in number of years Test reports to be furnished to buyer on demand Product having BIFMA certification OEM of offered product is ISO 9001:2015 certified OEM of offered product is ISO 14001:2015 certified OEM of offered product is ISO 14001:2015 certified OEM of offered product is ISO NO |

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|------------------|----------|---------------|
| 1 | ****** | **********MEERUT | 35 | 30 |

^{*} Specifications highlighted in bold are the Golden Parameters.
* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Bid Specific Additional Terms and Conditions

- 1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 2. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---