

Bid Number: GEM/2020/B/702122

Dated: 08-07-2020

Bid Document

Bid Document				
Bid Details				
Bid End Date/Time	28-07-2020 12:00:00			
Bid Opening Date/Time	28-07-2020 12:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Ministry Of Human Resource Development			
Department Name	Department Of Higher Education			
Organisation Name	Mizoram University			
Office Name	Aizawl Mizoram			
Total Quantity	3			
Item Category	Metal Shelving Racks			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Metal Shelving Racks (3 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Туре	OPEN TYPE	OPEN TYPE, CLOSED FROM SIDES ONLY, CLOSED FROM SIDES AND BACK, CLOSED FROM BACK ONLY
	Pigeon Holes	without	*
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	5	*
MATERIAL	Shelves Material	1.2 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513	0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 1.0 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 1.2 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, 20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 25 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side, 18 mm thick prelaminated Particle

			Board, Plywood Board 20 mm Thick, 0.9 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513, MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
	M S Sheet Thickness of Shelves and Back (Minimum) in mm	1.2	*
	Sides, Back and Partition Wall Thickness (Minimum) (mm)	MS Sheet 1.2 mm	*
	Angle Posts Material and size	Rolled steel angle posts of 40 X 40 X 3 mm	*
DIMENSION	Depth in mm (±5 mm)	300	*
	Width in mm (±5 mm)	900	700, 800, 900, 1000, 915, 1300, 1375, 1800 mm (with suitable support), 2000 mm (with suitable support), 2200 mm (with suitable support)
	Height in mm (±5 mm)	2475	*
	Bin Strip Height in mm (±1 mm)	50	*
CERTIFICATION	Conformity to Indian Standard	IS: 1883 Latest	*
	Test reports to be furnished to buyer on demand	No	*
MISC	Number of Pigeon Holes Equally Spaced in Each Row	na	*
	Paint	Powder coated	Stove enameled, Powder coated, Grey Enameled, Powder coated with Lead Free Paint
	Colour	dove gray	*
	Packing	Five Ply Corrugated Board and Strapped with 12 mm HDPE Strap	*

	No of Gussets	4	*
	Ground Clearance in mm (+/- 2 mm)	45 mm	*
	Label Holder	No	*
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	2	1, 2, 3, 4, 5

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	F.KAPMAWII	796004,Mizoram University, Tanhril, Aizawl, Mizoram	3	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 3. ISO 9001: The bidder must have ISO 9001 certification.

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.