

Bid Number: GEM/2020/B/703773

Dated: 13-07-2020

Bid Document

Bid Document			
Bid Details			
23-07-2020 20:00:00			
23-07-2020 20:30:00			
90 (Days)			
75 (Days)			
Tripura			
Health And Family Welfare Department Tripura			
N/a			
Agartala			
151			
blood pressure recording units			
1 Year (s)			
Yes			
Yes			
Experience Criteria, Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
No			
No			

EMD Detail

	[
Required	l No
11	

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM

{themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Blood Pressure Recording Units (151 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONFIGURATION DETAILS	Type Of SPHYGMOM ANOMETERS or Blood Pressure recording unit:	Digital	Digital
	Conformity to Indian Standrad for SPHYG MOMANOMETERS	NA for digital	NA for digital
	Measuring device	Automated	Automated
	Туре	Portable	Portable
	ISI MARKED	NA for digital	NA for digital
	CM/L No and validity date	-	*
	Measurement Method	Oscillometric	Oscillometric
	Display for Digital BP instrument:	LCD(Liquid Crystal Digital) Display	LCD(Liquid Crystal Digital) Display
	Range: Pressure measurement (mmHg)	0 to 300	*
	Range:Pulse measurement for digital with accuracy ± 5%. (per minute)	40 to 200	*
	Accuracy:Pressure measurement (mmHg)	+/- 3	*
	Pressure Detection	Capacitive Pressure sensor	*
	Inflation	Automatic Pressure Application by pump	Automatic Pressure Application by pump
	Deflation and rapid Air Release	Automatic Pressure Release Valve	Automatic Pressure Release Valve

	Cuff Range	Small (18-22)cm	Small (18-22)cm
	Dimensions of the Equipment (mmXmm)	-	*
	Dimensions of the Display screen (mmXmm)	-	*
	Operating Temperature range	0 to 55 degree Celsius	*
	Stroage Temperature range	(-10) to 55 degree Celsius	*
	Automatic power off if system is idle for 3 minutes.	Yes	*
	Weight (in gram)	-	*
Power	Power Source:	AA size chargeable battery set	AA size chargeable battery set
	Type of AA Size chargeable Battery (AA Size)	Alkaline	Alkaline
WARRANTY, CERTIFICATIONS, TEST	Warranty Period (in Year)	1	1
REPORTS	Availability of Type Test Report covering complete test parameters as per IS3390 latest for Mercurial and IS7652 latest for Aneriod type, from any ILAC/NABL accredited/Central Gov LABFor digital type including Environmental test from any ILAC/NABL accredited/Central Gov LAB	Yes	*
	Type test report No and date	-	*
	Name and address of the Lab where test Conducted.	-	*
	CE Marking Certificate for B.P. Apparatus Model.	Yes	*
	Conformity to OILM-R-16-1 and OILM-R-16-2 for both Non-invasive mechanical sphygmomanometers and Non-invasive	Yes	*

	automated sphygmomanometers are for guidance and All the Gazette of india related to legal metrology issued time to time, are applicable to the specification as well as to the product.		
	Others Certificate ie ROHS,WHO,GMP etc.	-	*
	For Digital Sphygmomanometer ,Availability of Type test reports consisting of verification of all the features & functional parameters & environmental tests sequences as under: a) Dry heat test (For 16 hrs at a temp of 55degree C in accordance with IS: 90 00/part-3/section-3/197 7)latest	Yes	*
	For Digital Sphygmomanometer Cold test(For 4 hrs at a temp of (-10) degree C in accordance with IS: 9 000/part-2/section-3/19 77latest c) Damp Heat Cyclic Test (For 2 cycles of 24 hrs at a temp 55 degree C & 95% RH in accordance with IS: 9000/part-5/sec tion-1/1981)latest Note:- The BP Instrument shall be checked for all the parameters before conditioning After completion of the above environmental tests sequence, with a recovery period of 1 to 2 hrs, BP Instrument	Yes	*
* Chacifications highligh	shall be functional " Ited in bold are the Golder	n Paramotors	

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nilanjan Bhattacharjee	799001,O/o the MD NHM, State Health Family Welfare Society, Palace compound, Agartala - 799001	151	15

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2. Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
- 3. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 4. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

This Bid is also governed by the General Terms and Conditions

---Thank You---