

### Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 14:00:00
Bid Opening Date/Time	23-07-2020 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Uttar Pradesh
Department Name	Urban Development Department Uttar Pradesh
Organisation Name	N/a
Office Name	Nagar Palika Parishad Azamgarh
Total Quantity	20
Item Category	tricycle or rickshaw
Bidder Turnover (Last 3 Years)	4 Lakh (s)
OEM Average Turnover (Last 3 Years)	30 Lakh (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

1. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## Tricycle Or Rickshaw ( 20 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification Parameters	Manufacturer Drawing No.	-	*
Generic Parameters	<b>Driving Mechanism</b>	Pedestal Chain	Pedestal Chain
	<b>Length of Tricycle (mm)</b>	1000	1000.0
	<b>Length of Cart (mm)</b>	1350	1350
	<b>Width of Cart (mm)</b>	800	800
	<b>Height of Cart (mm)</b>	300	300
	<b>Number of Plastic Containers with lid and handle (Nos)</b>	6	6
	<b>Capacity of the each Container (Litres)</b>	25	25.0
	<b>Material of the Container and Lid</b>	Virgin Polypropylene	Virgin HDPE, Virgin Polypropylene
	Material of Handle of container	-	*
	Loading Capacity of the Tricycle (Kg)	-	*
Constructional Parameters	<b>Frame Structure</b>	Made of MS Tubes	Made of MS Tubes
	<b>Diameter of MS Tube (mm)</b>	25	Any applicable numeric value
	<b>Thickness of MS Tube (mm)</b>	1.5	Any applicable numeric value
	<b>Cart Frame Material</b>	MS Angle of size 25 x 25 x 3 mm	MS Angle of size 25 x 25 x 3 mm

<b>Material of Bottom Plate of Cart</b>	Mild steel plate	Mild steel plate
<b>Thickness of Bottom Plate of Cart (mm)</b>	0.5	0.5
Holes in Bottom Plate of Cart	Having 12 mm diameter holes at a distance of 200 mm square Matrix	*
Lengthwise Number of Stiffeners below the Platform to support the MS Plate (Nos)	3	*
Widthwise Number of Stiffeners below the Platform to support the MS Plate (Nos)	1	*
<b>Stiffener Material</b>	M S Angle of size 25 x 25 x 3 mm	M S Angle of size 25 x 25 x 3 mm
Finish of Handle	Nickel and Chrome Plated	*
Finish of Chain Wheel	Nickel and Chrome Plated	*
Finish of Crank	Nickel and Chrome Plated	*
Front Rim Thickness (mm)	3	*
Number of Front Wheel (Nos)	1	*
<b>Type of Front Wheel</b>	Puncherless Rubberised Wheel	Puncherless Rubberised Wheel, Tyre Tube Wheel
Front Rim Diameter (mm)	600	*
Front Rim Width (mm)	36	*
Number of Spikes in Rear Wheel (Nos)	10	*
<b>Diameter of Spike of Front Wheel (mm)</b>	10	10.0
<b>Number of Rear Wheels (Nos)</b>	2	2
<b>Type of Rear Wheels</b>	Puncherless Rubberised Wheel	Puncherless Rubberised Wheel
<b>Rear Rim Diameter (mm)</b>	38	Any applicable numeric value
<b>Rear Rim Width (mm)</b>	20	20.0

Rear Rim Thickness (mm)	3	*
Number of Spikes in Front Wheel (Nos)	10	*
<b>Thickness of Spike of Rear Wheel (mm)</b>	2.5	Any applicable numeric value
Daimeter/ Width of Spike in Rear Wheel (mm)	600	*
Support Details of Rear Wheels	-	*
<b>Minimum Wall thickness of the Plastic Container and Lid (mm)</b>	2	Any applicable numeric value
<b>Maximum Ash content of the container and Lid when tested as per Annex D of IS 14887/2014 (%)</b>	1	1
<b>Pretreatment</b>	Two coats of red oxide after phsphating before painting	Two coats of red oxide after phsphating before painting
Colour of the Frame	-	*
<b>Paint</b>	Powder Coating	Powder Coating, Ennameled Paint
Colour of the Cart	-	*
Manufacturer 's Name Marked on the Tricycle	Yes	*
Year of Manufacturing Marked on the Tricycle	Yes	*
Finish of Rim	Nickel and Chrome Plated	*
Colour of the Container and Lid	-	*
Bell	Yes	*
Two Reflectors at back	Yes	*
Type of Reflector	Plastic	*
Lock for locking the Tricycle	Yes	*
Tool Kit	Yes	*
First Aid Box	Yes	*
Tricycle Seat with Cover	Yes	*

	Hangers for broom and wiper	Yes	*
--	-----------------------------	-----	---

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Yuvraj Sonkar	276001,Nagar Palika Parishad Azamgarh	20	180

### Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. **Consortium:** In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.
4. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
5. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
6. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
7. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
8. ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**