

### RA Document

RA Details	
RA Technical End Date/Time	20-07-2020 16:00:00
RA Opening Date/Time	20-07-2020 16:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Delhi
Department Name	Health And Family Welfare Department Delhi
Organisation Name	N/a
Office Name	Ambedkar Nagar Hospital Dakshin Puri Delhi 110062
Total Quantity	10
Item Category	wheel chairs
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

RA splitting not applied.

### Wheel Chairs ( 10 pieces )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
---------------	--------------------	--------	----------------------------------

Ungrouped	Low voltage Alarm	Yes	*
	Hand Rim Outside Dia. (mm)	-	*
	Material of Seat	-	*
	<b>Total weight of Wheel Chair (Kg.)</b>	22.5	0 - 9999999
	Foot rest Material	-	*
	Range of Seat Height Adjustment (mm)	-	*
	Battery Charger output current rating (Amps)	-	*
	Density of Cushion material on armrest, seat and Backrest (Kg/m3)	-	*
	Leg Guard Width (mm)	-	*
	<b>Back rest with Cushion</b>	Yes	Yes, No
	Hardness of Axle (HRC)	-	*
	Hand rim Tube thickness (mm)	-	*
	Front castor Dia (mm)	-	*
	<b>Cushion on Seat</b>	With	With, Without
	Front castor Swivel Type	Yes	*
	Overall Width in unfolded condition of wheel chair (mm)	-	*
	<b>Leg guard type</b>	Fixed	Swinging and detachable, Swinging, detachable and elevating, Fixed
	<b>Slope of Seat (Degree)</b>	0	0 - 9999999
	<b>Type of Back rest</b>	Fixed	Fixed, Removable, Foldable
	<b>Overall Length (mm)</b>	1040	0 - 9999999
	Type of Wheel Hub	-	*
	Hand Rim material	-	*
	<b>Foldable</b>	Yes	Yes, No
	Overall Width in folded condition of the wheelchair (mm)	-	*
	Leg Guard Thickness	-	*

(mm)		
<b>Types of Wheel chairs</b>	Non powered Direct drive -on rear wheels bimanual	Attendant controlled Non powered, Non powered Direct drive -on rear wheels bimanual, Attendant controlled powered, Electromotor for drive manual steering
Material of Handle	-	*
<b>Frame tube thickness (mm)</b>	1.6	0 - 9999999
Material of arm rest	-	*
Material of hand grip	-	*
Material of Cushion on armrest,seat and Backrest	-	*
<b>Clearnce of frame from floor (mm)</b>	225	0 - 9999999
Battety Voltage Rating (Volts)	-	*
Dia of Axle (mm)	-	*
<b>Overall Height (mm)</b>	840	0 - 9999999
Range of Width Adjustment (mm)	-	*
Length of Foot Rest (mm)	-	*
<b>Loading Capacity (Kg.)</b>	120	0 - 9999999
Rear wheel rim Material	-	*
Thickness of Arm rest (mm)	-	*
Battery Charger Input Supply Voltage (Volts)	-	*
Battery type	Sealed Maintenance Free	*
Battery Capacity Rating (AH)	-	*
Rear wheel tyre tread width (mm)	-	*
Material of Axle	-	*
<b>Arm rest Type</b>	Fixed	Fixed, Detachable
<b>Cushion Material Thickness (mm)</b>	40	0 - 9999999
<b>Seat Depth (mm)</b>	100	0 - 9999999

Material of Folding Mechanism	-	*
Diameter of Tube/ thickness of flat of folding mechanism (mm)	-	*
Type of Braking System	-	*
Rear wheel rim thickness (mm)	-	*
<b>Distance between seat and foot rest (mm)</b>	200	0 - 9999999
Foot rest surface finish anti slip type	Yes	*
<b>Clearance of footrest from floor (mm)</b>	100	0 - 9999999
Seat Cushion Material	-	*
Motor power rating (Watts)	-	*
<b>Finish of Aluminium casts</b>	Buffing	Anodized, Buffing
<b>Hand Rim</b>	With	With, Without
<b>Handle for push/pull action of Wheel Chair</b>	yes	yes
<b>Thickness of Seat (mm)</b>	50	0 - 9999999
<b>Slope of the backrest with respect to floor (Degree)</b>	0	0 - 9999999
Foot rest thickness (mm)	-	*
Width of foot rest (mm)	-	*
<b>Rear wheel tyre type</b>	Solid	Solid, pneumatic, Solid mag wheels with alloy in Rims
Battery Charger output voltage rating (Volts)	-	*
<b>Arm rest height from seat (mm)</b>	100	0 - 9999999
<b>Cushion on Arm rest</b>	With	With, Without
No. of Speeds (No.)	-	*
Greadability (Degree)	-	*
Material of Back rest	-	*
Thickness of Cushion	-	*

material of Arm rest (mm)		
Material of frame	-	*
<b>Types of foot rest</b>	Swinging without height adjustment	Swinging without height adjustment, Swinging with height adjustment
Speed max (Kmph)	-	*
<b>Warranty (Years)</b>	1	0 - 9999999
<b>Frame tube Dia (mm)</b>	22	0 - 9999999
<b>Width of wheel chair</b>	Fixed.	Fixed., Adjustable
<b>Seat Height</b>	Fixed	Fixed, Adjustable
<b>Seat hight from floor at the front (mm)</b>	300	0 - 9999999
Speed Selector	Yes	*
<b>Thickness of back rest (mm)</b>	50	0 - 9999999
Leg guard Material	-	*
<b>Painting of mild steel components</b>	Chrome Plating	Stove enamelled, Powder coated, Chrome Plating, NA

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	Sudhir Kumar	110062, AMBEDKAR NAGAR HOSPITAL, DAKSHIN PURI, NEW DELHI	10	2	

#### Bid Specific Additional Terms and Conditions

- Provisions for workmen compensation, insurance, public liability, property damage, insurance etc. to be ensured by the contractor. Also, safety measures prescribed for working in Extra High Voltage & use of personnel protective equipment must be adhered to.

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---

