

### Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 13:00:00
Bid Opening Date/Time	27-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	*****
Total Quantity	20
Item Category	Enamel, Synthetic, Exterior: (a) Under coating (b) Finishing paint
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Enamel, Synthetic, Exterior: (a) Under Coating (b) Finishing Paint ( 20 pieces )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
ITEM	<b>Item</b>	Enamel , Synthetic, Exterior: (a) undercoating (b) Finishing Paint	Enamel , Synthetic, Exterior: (a) undercoating (b) Finishing Paint
	<b>Uses</b>	For exterior undercoating	For exterior undercoating
SPECIFICATION	<b>Conformity to Specification</b>	IS 2932 latest	IS 2932 latest
	<b>Product is BIS marked</b>	Yes	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Air Spraying thinning	*
	Surface Dry time	2 hour for (undercoating)	*
	Hard Dry Time	8 hour for (undercoating)	*
	Gloss 60 Degree	0 to 20 for (undercoating)	*
	Mass, kg/10 litre, minimum	11.5 for (undercoating)	*
	Wet Opecity Requirement,minimum	60	*
	Fineness of grind	not more than 50 microns for (undercoating)	*
	Volume solid percent ,minimum	40 (undercoating)	*
COLOUR	<b>Colour shade of enamel Paint with ISC no</b>	Silver grey(628)	Silver grey(628)
FINISH	<b>Finish</b>	smooth and Matt to egg shell gloss for (undercoating)	smooth and Matt to egg shell gloss for (undercoating)
Self Life	Keeping Properties	1	*
Packing	<b>Packing Size</b>	20 Litre	20 Litre
ADVANCE SAMPLE	<b>Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)</b>	Yes	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	-	*
	Test report no	-	*
	Test report date	-	*
	Name of the Lab	-	*
	Address of the Lab	-	*
	Test Report to be furnished to the buyer on demand	-	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****JALANDHAR	20	15

**Bid Specific Additional Terms and Conditions**

1.Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**