Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 18:00:00
Bid Opening Date/Time	18-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Madhya Pradesh
Department Name	Home Department Madhya Pradesh
Organisation Name	N/a
Office Name	State Crime Records Bureau, Phq, Bhopal
Total Quantity	3
Item Category	Workstation
Bidder Turnover (Last 3 Years)	5 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Bid to RA enabled	Yes
Inspection Required	No

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	0.50
EMD Amount	4935

ePBG Detail

Required	No

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:
Dy.S.P
State Crime Records Bureau, Phq, Bhopal, Home Department Madhya Pradesh, N/A,
(Rajesh Bhangre Halwa N)

Splitting

  Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Workstation (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	**Processor Make**	Intel	Intel
	Processor Generation	8	8, 9, NA, 10 Or higher
	Number of Cores per Processor	6	6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30,

		32 Or higher
Processor Base Frequency (GHz)	3.2	3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
Processor Turbo Frequency (GHz)	4.6	*
Processor Description	Intel Core i7	Intel Core i7, Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
Processor Number	Intel Core i7-8700	Intel Core i3-8350K, Intel Core i7-8700, Intel Core i7-8700K, Intel Core i9-7980XE, Intel Core i5- 8300H, Intel Core i5- 8305G, Intel Core i5- 8400H, Intel Core i7- 8750H, Intel Core i7- 8850H, Intel Core i5-9300H, Intel Core i5-9400H, Intel Core i7-8565U, Intel Core i7-8665U, Intel Core i9-9900, Intel Core i9-9900K, Intel Core i9-9960X, Intel Core i7-9750H, Intel Core i7-9850H, Intel Core i9-9880H, Intel Core i9-9980HK, Intel Core i7-8550U, Intel Core i9-9980XE, Intel Core i9-9900KF, Intel Core i7-8650U, Intel Core i9 10980HK, Intel Core i9 10880H, Intel Core i7 10875H, Intel Core i7 10850H, Intel Core i9 9980HK, Intel Core i7 10750H, Intel Core i9 8950HK, Intel Core i5 10400H, Intel Core i5 10300H, Intel Xeon E3 1535M v6, Intel Xeon E3 1505M v6, Intel Xeon E3 1535M v5, Intel Xeon E3 1545M v5, Intel Core i7 10810U, Intel Core i7 10610U, Intel Core i7

			10510U, Intel Core i7 10310U, Intel Core i7 10210U, Intel Core i9 10885H, Intel Core i9 10900K, Intel Core i9 10900, Intel Core i9 10700K, Intel Core i9 10700, Intel Core i9 10600K, Intel Core i9 10600, Intel Core i9 10500, Intel Core i9 10100 Or higher
	Number of sockets available on the motherboard	1	*
	Number of Sockets populated with the Processors	1	1, 2 Or higher
	Cache (MB)	12	12.0 - 64.0 Or higher
	Out of Band Management	NA	*
Type	**Form Factor**	Desktop	Desktop
Motherboard	**Chipset Number**	Intel C246	Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	2	*
	Expansion Slots (PCIe x 4) (Number)	1	*
	Expansion Slots (PCIe x 8) (Number)	0	*
	Expansion Slots (PCIe x 16) (Number)	1	*
	Expansion Slots (PCI) (Number)	0	*
Graphics	**Graphics Type**	Dedicated/Discrete	Dedicated/Discrete
	Number of Graphic Cards	1	1, 2, 3, 4 Or higher
	Graphic Card Description	nVIDIA Quadro P400 2GB	nVIDIA NVS 510 2GB, nVIDIA NVS 810 4GB, nVIDIA Quadro P400 2GB, nVIDIA Quadro P620 2GB, nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB,

			nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, nVIDIA Quadro P620 4GB, NVIDIA® Quadro P600 4GB GDDR5, NVIDIA Quadro P2200 5GB GDDR5 Or higher
Operating System	**Operating System (Factory Pre-Loaded)**	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Redhat Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Dassault Systèmes SolidWorks,Dassault Systèmes CATIA,PTC Creo,Siemens NX	*
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2666	*
	Type of Memory	Non ECC	*
	RAM Size (GB)	8	8, 16, 32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	4	*
	Number of DIMM Slots Populated	1	*
	RAM Expandability upto using spare DIMM Slots (GB)	128	128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	**Type of Drives used to populate the**	PCIe	PCIe

	internal Bays		
	Number of Drives	1	*
	RAID for Operating System	NA	NA
	Capacity of each Drive (GB)	512	512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	**Type of Drives used to populate the Internal Bays**	SATA	SATA
	Total number of Internal Bays available for SATA Drive	2	*
	Number of Internal Bays populated with SATA Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 6000 Or higher
	Speed of each SATA Drive (RPM)	7200	*
	Total SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal Bays populated with SAS Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	0	*
	Number of Internal Bays populated with SSD Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher

	Capacity of each SSD Drive (GB)	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
	Total number of Internal Bays available for PCIe SSD	1	*
	Number of Internal Bays populated with PCIe Drive	1	1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	512	512, 1024, 2048 Or higher
	Total PCIe Drive Capacity (GB)	512	512, 1024, 2048, 4096, 1536 Or higher
	Class of PCIe Drives	Class 40	*
RAID	RAID level	0,1	*
	Number of RAID Controller Ports	4	4, 5, 6, 7, 8, 10 Or higher
	Speed of RAID Controller Ports (Gbps)	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*
Connectivity	Type of Ethernet Ports	Single Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	2	2, 3, 4, 6 Or higher
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	Bluetooth Connectivity	No	Yes, No Or higher
	If Yes, Version of Bluetooth Available	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	2	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	6	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	0	*

	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	2	*
	Number of DP Ports	1	*
Display	**Display Availability**	Monitor	Monitor
	Display Size (cm)	54 - 56	54 - 56, 58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Standard	*
Power	Maximum Power (Watts)	500	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	Redundant Power Supply	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard	*

	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	2	*
	Security	H/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Remote Collaboration Software & Performance Advisor	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	85	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*

	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher

 * Specifications highlighted in bold are the Golden Parameters.
 * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Manish Kumar Choubey N	462008,JEHANGIRABAD, PHQ	3	60

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---