

RA Number: GEM/2020/RA/44794

Dated: 09-07-2020

RA Document

RA Document					
RA Details					
RA Technical End Date/Time	24-07-2020 15:00:00				
RA Opening Date/Time	24-07-2020 15:30:00				
RA Life Cycle (From Publish Date)	90 (Days)				
RA Offer Validity (From End Date)	30 (Days)				
Ministry/State Name	Ministry Of Labour And Employment				
Department Name	Na				
Organisation Name	Employees State Insurance Corporation (esic)				
Office Name	Esic Hospital Gurgaon				
Total Quantity	5				
Item Category	wheel chairs				
MSE Exemption for Years of Experience and Turnover	No				
Startup Exemption for Years of Experience and Turnover	No				
Document required from seller	Experience Criteria, Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer				
Past Performance	50 %				
Inspection Required	No				

EMD Detail

Required No

ePBG Detail

Required	l No
ricquired	110

Splitting

RA splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three

years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Wheel Chairs (5 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Low voltage Alarm	Yes	*
	Hand Rim Outside Dia. (mm)	-	*
	Material of Seat	-	*
	Total weight of Wheel Chair (Kg.)	26.5	0 - 9999999
	Foot rest Material	-	*
	Range of Seat Height Adjustment (mm)	-	*
	Battery Charger output current rating (Amps)	-	*
	Density of Cushoin material on armrest,seat and Backrest (Kg/m3)	-	*
	Leg Guard Width (mm)	-	*
	Back rest with Cushion	Yes	Yes, No
	Hardness of Axle (HRC)	-	*
	Hand rim Tube thickness (mm)	-	*
	Front castor Dia (mm)	-	*
	Cushion on Seat	With	With, Without
	Front castor Swivel Type	Yes	*
	Overall Width in unfolded condition of wheel chair (mm)	-	*
	Leg guard type	Fixed	Swinging and detachable, Swinging

		detachable and elevating, Fixed	
Slope of Seat (Degree)	5	0 - 9999999	
Type of Back rest	Fixed	Fixed, Removable, Foldable	
Overall Length (mm)	1120	0 - 9999999	
Type of Wheel Hub	-	*	
Hand Rim material	-	*	
Foldable	No	Yes, No	
Overall Width in folded condition of the wheelchair (mm)	1	*	
Leg Guard Thickness (mm)	-	*	
Types of Wheel chairs	Attendant controlled Non powered	Attendant controlled Non powered, Non powered Direct drive -on rear wheels bimanual, Attendant controlled powered, Electromotor for drive manual steering	
Material of Handle	-	*	
Frame tube thickness (mm)	1.2	0 - 9999999	
Material of arm rest	-	*	
Material of hand grip	rial of hand grip - *		
Material of Cushion on armrest,seat and Backrest	-	*	
Clearnce of frame from floor (mm)	110	0 - 9999999	
Dia of Axle (mm)	-	*	
Overall Height (mm)	920	0 - 9999999	
Range of Width Adjustment (mm)	-	*	
Length of Foot Rest (mm)	-	*	
Loading Capacity (Kg.)	130	0 - 9999999	
Rear wheel rim Material	-	*	
Thickness of Arm rest (mm)	-	*	
Battery Charger Input	-	*	

Supply Voltage (Volts)			
Battery type	attery type Sealed Maintenance * Free		
Battery Capacity Rating (AH)	-	*	
Rear wheel tyre tread width (mm)	-	*	
Material of Axle	-	*	
Arm rest Type	Fixed	Fixed, Detachable	
Cushion Material Thickness (mm)	65	0 - 9999999	
Seat Depth (mm)	430	0 - 9999999	
Material of Folding Mechanism	-	*	
Diameter of Tube/ thickness of flat of folding mechnism (mm)	-	*	
Type of Braking System	-	*	
Rear wheel rim thickness (mm)	-	*	
Distance between seat and foot rest (mm)	440	0 - 9999999	
Foot rest surface finish anti slip type	Yes	*	
Clearance of footrest from floor (mm)	110	0 - 9999999	
Seat Cushion Material	-	*	
Motor power rating (Watts)	•		
Finish of Aluminium casts	Buffing	Anodized, Buffing	
Hand Rim	With	With, Without	
Handle for push/pull action of Wheel Chair	yes	yes	
Thickness of Seat (mm)	1.2	0 - 9999999	
Slope of the backrest with repesct to floor (Degree)	95	0 - 9999999	
Foot rest thickness (mm)	-	*	
Width of foot rest (mm)	-	*	

Rear wheel tyre type	Solid	Solid, pneumatic, Solid mag wheels with alloy in Rims	
Battery Charger output voltage rating (Volts)	-	*	
Arm rest height from seat (mm)	375	0 - 9999999	
Cushion on Arm rest	With	With, Without	
No. of Speeds (No.)	-	*	
Greadability (Degree)	-	*	
Material of Back rest	-	*	
Thickness of Cushion material of Arm rest (mm)	-	*	
Material of frame	-	*	
Types of foot rest	Swinging without height adjustment	Swinging without height adjustment, Swinging with height adjustment	
Speed max (Kmph)	-	*	
Warranty (Years)	1	0 - 9999999	
Frame tube Dia (mm)	25.4	0 - 9999999	
Width of wheel chair	Fixed.	Fixed., Adjustable	
Seat Height	Fixed	Fixed, Adjustable	
Seat hight from floor at the front (mm)	500	0 - 9999999	
Speed Selector	Yes	*	
Thickness of back rest (mm)	1.2	0 - 9999999	
Leg guard Material	-	*	
Painting of mild steel components	Powdrer coated	Stove enamelled, Powdrer coated, Chrome Plating, NA	

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days	

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

1	Om Prakash Yadav	122050,ESIC Hospital, Plot	5	30	N/A
		No. 41, Sector 03, IMT,			
		Manesar			

Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

This RA is also governed by the General Terms and Conditions

---Thank You---