

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 18:00:00
Bid Opening Date/Time	27-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Nuclear Power Corporation Of India Limited
Office Name	Kakrapar Gujarat Site
Total Quantity	2
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	38700

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Almirah Steel (2 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	No	Yes, No

	No of shelves (Nos)	4	4
	Type of Shelves	Fixed	Fixed
	Locker Provided	No	Yes, No
	Locking System with the locker	NA	YES, NO, NA
	Cloth hanging provision in the Almirah	Yes	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	4	4
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Welded	Welded
	Lock	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	N.A	N.A
	Length of Glass Sheet ± 10 (mm)	N.A	N.A
	Width of Glass Sheet ± 10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of sides, back , Top and Bottom	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.6 mm	0.6 mm
	Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Material of Lock	steel	steel
	Material of Keys	steel	steel
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855	1855
	Width in mm (± 7 mm)	1023	1023.0
	Depth in mm (± 5 mm)	400	400.0
	Inside Height of Locker in mm (± 5 mm)	N.A	N.A

	Inside Width of Locker in mm (±5 mm)	N.A	N.A
	Inside Depth of Locker in mm (±5 mm)	N.A	N.A
	Width of Stiffner in mm (±5 mm)	125 mm	125 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.6 mm	0.6 mm
	Stiffened Pedestal height in mm (±2 mm)	125	125
	Pedestal Width in mm (±2 mm)	75	75
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	off white	*
	Packing:	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kamleshkumar Gemalsinh Khengar	394651,KAPS PLANT SITE, PO ANUMALA, DISTRICT TAPI, GUJARAT	2	90

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2.Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
- 3.Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---