

Dated: 07-07-2020



Bid Document

| Bid Document | | | | | |
|--|---|--|--|--|--|
| Bid Details | | | | | |
| Bid End Date/Time | 22-07-2020 20:00:00 | | | | |
| Bid Opening Date/Time | 22-07-2020 20:30:00 | | | | |
| Bid Life Cycle (From Publish Date) | 90 (Days) | | | | |
| Bid Offer Validity (From End Date) | 70 (Days) | | | | |
| Ministry/State Name | Odisha | | | | |
| Department Name | Home Department Odisha | | | | |
| Organisation Name | Odisha Police | | | | |
| Office Name | State Police Headquarters | | | | |
| Total Quantity | 30 | | | | |
| Item Category | Camera for CCTV System | | | | |
| Bidder Turnover (Last 3 Years) | 4 Lakh (s) | | | | |
| OEM Average Turnover (Last 3 Years) | 16 Lakh (s) | | | | |
| Experience Criteria | 1 Year (s) | | | | |
| MSE Exemption for Years of Experience and Turnover | No | | | | |
| Startup Exemption for Years of Experience and Turnover | No | | | | |
| Document required from seller | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | | |
| Past Performance | 10 % | | | | |
| Bid to RA enabled | Yes | | | | |
| Inspection Required | Yes | | | | |
| Inspection to be carried out by Buyers own empanelled agency | Yes | | | | |
| Type Of Inspection | Post Dispatch | | | | |
| Name of the Empanelled Inspection Agency/ Authority | Board of Officers | | | | |
| | · | | | | |

EMD Detail

| Advisory Bank | State Bank of India |
|-------------------|---------------------|
| EMD Percentage(%) | 2.00 |
| EMD Amount | 16200 |

ePBG Detail

| Advisory Bank | State Bank of India |
|-------------------------------------|---------------------|
| ePBG Percentage(%) | 5.00 |
| Duration of ePBG required (Months). | 12 |

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

A.I.G. of Police (Provisoning), Odisha, Cuttack State Police Headquarters, Home Department Odisha, Odisha Police , Buxibazar, Cutttack, 753001 (Balakrushna Hota)

Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Camera For CCTV System (30 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|-------------------|--|--------------------------------|-------------------------------------|
| CAMERA TYPE | Type of Camera Housing | BULLET CAMERA | BULLET CAMERA |
| | IP Camera | Yes | Yes |
| | PTZ Camera | Yes | Yes |
| MAGE SENSOR | Image Sensor Type | CMOS | CCD, CMOS |
| | Image Sensor Size | 0.67 | 1, 0.67 Or higher |
| | Camera Image Sensing capacity (Picture Mode) | 4MP | 4MP |
| | Resolution | Full HD (1920 x 1080 Pixel) | Full HD (1920 x 1080 Pixel) |
| | Day/Night Capable | Yes | Yes |
| | IR illumination Range(mtr) | 30 | 30 |
| OPTICS | Lens Type | Fixed | * |
| | Focal Length(mm) | 3 - 10 | 3 - 10 |
| | Iris Control | Yes | * |
| | Focus Mode | Zooming | * |
| VIDEO | Frame Rate (fps) | 60 | 25, 30, 50, 60 |
| | Video Compression | H.265 | * |
| | Video Streaming | Dual compressed stream | Dual compressed stream |
| PAN / TILT / ZOOM | Panning Range | 0-360 | * |
| | Pan Speed (deg/sec) | 240 | 240, 320 |
| | Tilt Range below horizontal (deg) | 0-90 | * |
| | Tilt Range above horizontal (deg) | 0-5 | * |
| | Tilt Speed (deg/sec) | 120 | 120 |
| | Optical Zoom | 20X | 20X |
| | Digital Zoom | 16X | 16X |

| AUDIO | Audio Support | No | Yes, No |
|-------------|---|--------------------|---|
| | Audio Compression | NA | * |
| | Audio Streaming | NA | * |
| | Number of Audio Input Channel | NA | * |
| | Number of Audio Output Channel | NA | * |
| | External Microphone Support | No | * |
| ALARM | Alarm Support | No | Yes, No |
| | Number of Alarm Digital Input | NA | * |
| | Number of Alarm Relay Output | NA | * |
| | Pre/Post Alarm Buffer | No | * |
| SECURITY | Multi Level User ID/Password | Yes | * |
| | IP Address Filtering | Yes | * |
| | Encrypted Data Transmission | HTTPS (SSL/TSL) | * |
| PERFORMANCE | Minimum Illumination for Capturing Color Image | 0.5 | 0.6, 0.5, 0.2, 0.1, 0.05, 0.01 Or lower |
| | Electronic Shutter Speed(sec) | 1/50 to 1/10000 | * |
| | WDR (Wide Dynamic Range) | DWDR | 80 dB, 100 dB, 120 dB, DWDR |
| | SNR (Signal to Noise Ratio) | 50-60 | 40-50, 50-60, 60-70, 70-80 |
| | Auto Exposure | Auto Level Control | * |
| FEATURES | White Balance (Indoor/Out door/Manual Selectable) | Yes | * |
| | Auto Gain Control (On/Off selectable) | Yes | * |
| | Back Light Compensation | Yes | * |
| | Remote Administration (Remote configuration and status using web based tool) | Yes | * |
| | Remote System Update Over Network | Yes | * |
| | PC Client (PC | Yes | * |

| | application client with a channel recording feature support) | | |
|-------------------------|---|------------------------|---------------------|
| | Web Client (Viewer through HTTP system configuration) | Yes | * |
| | On Screen Display in English | Yes | * |
| | ONVIF Support | Yes | * |
| | Presets | 80 | * |
| | Group Touring | 12 | * |
| | Privacy Zones | 12 | * |
| NETWORK AND | Supported Protocols | HTTP | * |
| INTERFACE | IP Support | Dynamic | * |
| | Signal Processing | Digital Signal Process | * |
| | IPv6 ready | Yes | * |
| | Wireless | No | * |
| | Simultaneous Connections | 80 | * |
| STORAGE | On Board SD Card Support | No | * |
| | SD Card Memory(GB) | NA | * |
| HOUSING | Installation Type | Outdoor | Indoor, Outdoor |
| | Material of the Housing construction | Alluminium | Alluminium, Plastic |
| | Protection | IP67 | * |
| | Vandal Resistant Housing | No | * |
| | If Yes, IK rating | NA | * |
| | Mounting bracket | Wall Mounted | * |
| | Weight | 0.22 | * |
| | Dimensions (mm x mm x mm) | - | * |
| POWER SUPPLY | Power Input | 12 V DC | * |
| | Power Consumption | 5 | * |
| | Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz | Yes | * |
| OPERATING CONDITIONS | Operating Temperature Range | -10 to +50 deg C | * |
| | Relative Humidity Non | 90 | * |

| WARRANTY / SERVICES | Warranty | 2 | 1, 2, 3, 4, 5 Or higher |
|----------------------------------|--|--------|--------------------------------|
| | Time for Replacement of Defective Product During Warranty Period | 72 | 12, 24, 36, 48, 72 Or lower |
| | Supply of Compatible drivers and software included | Yes | * |
| ENVIRONMENTAL / CERTIFICATION | Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller | Yes | * |
| | Availability of facility to test signal to noise ratio of camera at 0-01 lux | Yes | * |
| | Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest | Yes | * |
| | Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest | Yes | * |
| | Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable | Yes | * |
| | BIS Registration for safety general requirements as per IS 13252 (Part 1):latest | Yes | * |
| | Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification | No | * |
| | Test Report Number and Date | - | * |
| | Name and Address of Test Lab | - | * |
| | Certification | FCC,CE | * |

- * Specifications highlighted in bold are the Golden Parameters.
- * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.N | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-----|---------------------------------|--|----------|---------------|
| 1 | Santosh Salim Bage | 751019,Biju Patnaik State Police Academy (BPSPA), Ranasinghpur, Bhubaneswar, 751019 | 30 | 15 |

Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Malicious Code Certificate:

The seller should upload following certificate in the bid:-

- (a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-
 - (i) Inhibit the desires and designed function of the equipment.
 - (ii) Cause physical damage to the user or equipment during the exploitation.
 - (iii) Tap information resident or transient in the equipment/network.
- (b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.
- 3. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 4. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): yes

Post Receipt Inspection at consignee site before acceptance of stores: yes

- Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 6. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 7. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited

- Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 8. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 9. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 10. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 11. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 12. Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

This Bid is also governed by the General Terms and Conditions

---Thank You---