



Bid Number: GEM/2020/B/705242
Dated: 10-07-2020

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 13:00:00
Bid Opening Date/Time	20-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Rajasthan
Department Name	Agriculture Department Rajasthan
Organisation Name	N/a
Office Name	Sknaug Jobner
Total Quantity	42
Item Category	chairs-office
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Chairs-office (42 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	polyster	polyster
	Thickness of Plywood used in Backrest IN MM (± 1 mm)	N.A	*
	Frame Material	CRCA ERW round pipe	CRCA ERW round pipe
	Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	40 Kg/Cub.M	*
	Material of Fabric of Seat Cover	fabric	fabric
	Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	40 Kg/Cub.M	*
	Thickness of Plywood used in Seat ± 1(mm)	30 mm	30 mm
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	N.A	N.A
	Arm Material	CRCA pipe	CRCA pipe
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	N.A	N.A
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	30 mm	30 mm
	Shoe Type	plastic	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms

DIMENSION	Type of Seat and Backrest	Padded with Polyurethane Foam	Padded with Polyurethane Foam
	Frame Type	Cantilever	Cantilever
	Castors	Without	Without
	Size of Material (mm)	14 SWG 25 mm round pipe	14 SWG 25 mm round pipe
	Chair Height ±15(mm)	700 mm	700 mm
	Seat Depth ±10(mm)	430 mm	430 mm
	Seat Width ±10 (mm)	400 mm	400 mm
	Seat Height IN MM ±5(mm)	460	460
	Backrest Width ±10(mm)	400 mm	400 mm
	Backrest Height ±10(mm)	450 mm	450 mm
COLOUR & FINISH	Arm Length ±5(mm)	400 mm	400 mm
	Arm Width ±2(mm)	50 mm	50 mm
	Colour of Fabric for Seat and Backrest	blue	*
CERTIFICATION	Paint Type	powder coated on MS	powder coated on MS
	Colour of Paint	black	*
	Polythene cane conforming to Type-1 of IS 5378 /1994	YES	*
	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
WARRANTY	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO
	Warranty period in number of years	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bhanwar Lal Jat	303329,SRI KARAN NARENDRA AGRICULTURE UNIVERSITY JOBNER	42	30

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
6. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
7. ISO 9001: The bidder must have ISO 9001 certification.
8. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
9. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---