

### RA Document

RA Details	
RA Technical End Date/Time	27-07-2020 23:00:00
RA Opening Date/Time	27-07-2020 23:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	*****
Total Quantity	12
Item Category	Drawing Trussels / Drawing Board Stand
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

RA splitting not applied.

### Drawing Trussels / Drawing Board Stand ( 12 pieces )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
---------------	--------------------	--------	----------------------------------

GENERIC	Base frame type	H - Type base frame (for multi - directional rigidity)	*
	Modular and Multipurpose design	Yes	*
	Built type	Rugged	*
	Highly flexible and fully adjustable (through hand operated cam lock)	Yes	*
	Stable structure ( full height and angle adjustment)	Yes	*
	Levelling bolts/knobs at bottom of each leg (to ensure stability)	Yes	*
	Foldable (without dismantling)	Yes	*
	Tray provision	Yes	*
	Corrosion resistance	Yes	*
	<b>Drawing Board Stand for Drawing Board of size</b>	1525 mm x 1220 mm	1525 mm x 1220 mm, 1500 mm x 1000 mm, 1270 mm x 920 mm, 1000 mm x 700 mm, 920 mm x 650 mm, 700 mm x 500 mm, 650 mm x 470 mm, 500 mm x 500 mm, 500 mm x 350 mm
MATERIAL	Top frame made up of	Iron angle 25 mm X 25 mm x 3 mm with slope adjuster	*
	<b>Vertical frame made up of</b>	25 mm X 25 mm MS pipe	25 mm X 25 mm MS pipe, 50 mm X 25 mm MS pipe, 25 mm X 25 mm CRCA pipe, 50 mm X 25 mm CRCA pipe
	<b>Horizontal frame made up of</b>	25 mm X 25 mm MS pipe	25 mm X 25 mm MS pipe, 50 mm X 25 mm MS pipe, 25 mm X 25 mm CRCA pipe, 50 mm X 25 mm CRCA pipe
	<b>Leg support frame</b>	25 mm X 25 mm MS pipe	25 mm X 25 mm MS pipe, 50 mm X 25 mm MS pipe, 25 mm X 25 mm CRCA pipe, 50 mm X 25 mm CRCA pipe
	Thickness of MS pipe/CRCA pipe	16 SWG	*

	Tray made up of	2 mm thick prime quality CRCA	*
	Plastic caps/knobs made up of	Injection moulded ABS plastic	*
DIMENSION	<b>Base frame stand height with extended facility (+/- 10 mm)</b>	600	*
COLOUR AND FINISH	Finishing	As per buyer's choice	*
	Colour	Black	*
WARRANTY	<b>Warranty in number of Years</b>	1	1, 2, 3 Or higher
CERTIFICATION	OEM of offered product is ISO 9001:2015 certified	No	*
	OEM of offered product is ISO 14001:2015 certified	No	*
	OEM of offered product is ISO 18001:2007 certified	No	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

##### Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	*****	*****BARDHAMAN	12	15	

#### Bid Specific Additional Terms and Conditions

1. ISO 9001: The bidder must have ISO 9001 certification.

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---