

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 09:00:00
Bid Opening Date/Time	27-07-2020 09:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	20 (Days)
Ministry/State Name	Haryana
Department Name	Police Department Haryana
Organisation Name	Haryana Police Housing Corporation Panchkula
Office Name	Hphc Panchkula
Total Quantity	1
Item Category	Executive Table (PAC Only)
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM

{themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Executive Table (1 pieces) (Under PAC)

Make	tectonagrandis
Model	acasia

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By Consignee Himself	Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	Storage provided	One side	One side, Both side
	Keyboard tray	Not provided	Provided, Not provided
	Foot rest	Provided	Provided
MATERIAL	Table top Material	Commercial Block Board MR Grade Conforming to IS 1659	MDF board of grade SBG II of IS 12406/Latest, Commercial Block Board MR Grade Conforming to IS 1659
	Gable end and modesty panel material	Commercial Block Board MR Grade Conforming to IS 1659	Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Commercial Block Board MR Grade Conforming to IS 1659
	Leg Material	NO LEGS	NO LEGS

MISC	Table top long sides	To be post form half round profile	*
	Table top plain sides	CP Teak Wood Lipping	*
	Gable end and modesty panel plain side	CP Teak Wood Lipping	*
	Number of buffers provided	N.A	*
DIMENSION	Thickness of table top ± 2 mm	38	38.0
	Thickness of gable end and modesty panel ± 2 mm	38	*
	Length of table top ± 10 mm	1830	2100.0, 1830.0
	Depth of table ± 10 mm	1100	900.0, 1100.0
	Height of table ± 10 mm	750	760.0, 750.0
	Dimension of leg(mmXmm) ± 5mm	No legs	No legs
STORAGE UNIT	Number of Storage unit provided	Double storage	Double storage
	Width of storage unit ± 10 mm	400mm	*
	Depth of storage unit in mm (± 10 mm)	600	*
	Height of smallest storage unit ± 5 mm	N.A	*
	Height of medium storage unit ± 5 mm	N.A	*
	Height of largest storage unit ± 5 mm	N.A	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustablity	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channe ± 10 mm	N.A	*
	Average weight of telescopic channel ± 50 Gms	N.A	*

	Keyboard front width \pm 10mm	N.A	*
	Keyboard depth \pm 10mm	N.A	*
	Keyboard height \pm 10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray \pm 1mm	N.A	*
FOOTREST	Material of footrest	Commercial Block Board MR Grade Conforming to IS 1659	*
	Length of footrest \pm 10mm	N.A	*
	Depth of footrest \pm 10mm	N.A	*
	Height of footrest \pm 10mm	N.A	*
	Finish of exposed edges	CP Teak Wood Lipping	*
	Material thickness of footrest \pm2mm	38mm	38mm
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	Dark walnut	*
WARRANTY	Warrantee period in number of years	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	*
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	NO	NO
	OEM of offered product is ISO 14001:2015 certified	NO	NO

	OEM of offered product is ISO 18001:2007 certified	NO	NO
--	---	----	----

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vinod Rawal	124001,Kothi No. 7, PTC Sunaria Rohtak - 124001	1	45

Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
2. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---