



### **RA Document**

11/	A Document
ı	RA Details
RA Technical End Date/Time	25-07-2020 14:00:00
RA Opening Date/Time	25-07-2020 14:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	45 (Days)
Ministry/State Name	Bihar
Department Name	Urban Development & Housing Department Bihar
Organisation Name	Urban Development And Housing Department
Office Name	Saharsa
Total Quantity	3
Item Category	Hopper Tipper Dumper
Average Turnover (Last 3 Years)	37 Lakh (s)
OEM Average Turnover (Last 3 Years)	290 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Inspection Required	No

### **EMD Detail**

Required	No

### ePBG Detail

Advisory Bank	PUNJAB NATIONAL BANK
ePBG Percentage(%)	2.00

6

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### **Beneficiary:**

**Executive Officer** 

saharsa, Urban Development & Housing Department Bihar, Urban Development and Housing Department.

(Executive Officer)

#### **Splitting**

RA splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### **Hopper Tipper Dumper (3 pieces)**

### **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name		Bid Requirement (Allowed Values)
Certification	Chassis Certification	ARAI	*
	Chassis Certification	-	*

	ARAI/VRDE/ICAT No		
	At the time of supply of the equipment, the chassis should not be more than 6 months old	Yes	*
Generic Parameters	Type of TIPPER	Garbage Tipper	Garbage Tipper
	Type of TIPPER if other tipper ,please declare type of Tipper,	-	*
	Make of Chassis	-	*
	Type of Chassis Frame	-	*
	Category of Vehicle for which Chassis to be used	Medium Capacity Commercial Vehicles	Medium Capacity Commercial Vehicles
	Type of Chasssis	Chassis with Facecowl	*
	Type of Fuel	Diesel	Diesel
	Vehicle Emission Complaince	BS-VI	BS-VI
	Fuel Consumption ( declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl)	9.15	*
	Speed, Max (Km/Hr)	60	*
	Max Engine Power BHP (BHP@rpm)	125	More than 125.0 Or higher
	Rated RPM at Max Engine Power	2600	*
	Max Engine Torque (N-M@rpm)	390	More than 390.0 Or higher
	Rated RPM at Max Engine Torque	1000	*
	Main Engine Aspiration	Turbocharged Intercooled	Turbocharged Intercooled
	No. of Cylinder in Main Engine (Nos)	4	*
	Fuel Tank Capacity (Ltrs)	90	*
	Gradeability of Vehicle with load( %)	18	*
	Ground Clearance (mm)	211	*
	Wheel Base (mm)	2775	*

1 1			
	Kerb Weight (Kg)	4140	*
	Gross Vehicle Weight (Kg)	9600	More than 9600.0 Or higher
	Type of BIS MARKED Vehicle Tyre	Tube	*
	Chassis Transmission System	Manual	Manual
	Number of Speed/ Forward Gears	5	*
	Type of Steering	Power Operated	Power Operated
	Turning Radius,Min (mm)	5100	Less than 5100.0 Or lower
	Speed Governers/ECU	Yes	*
	ABS Fitted	No	*
	Front Vehicle Brake	-	*
	Rear Vehicle Brake	-	*
	Type of Clutch	-	*
	Tipping Angle (Degree)	50	*
	Tipper Container cap acity/Volume(cubic metres)	5	5.0 - 20.0 Or higher
Consructional Parameters	Size Of Front Tyres (mm)	-	*
	Size Of Rear Tyres (mm)	-	*
	Size of Wheel (mm)	406.4	*
	Tipper body Pivot length (mm)	1945	*
	Tipper body Length (mm)	3573	*
	Tipper Body Height (mm)	670	*
	Overall Height of Tipper from Ground (mm)	2540	*
	Body Plate Thickness (mm)	2.5	*
	Main Frame Thickness (mm)	3	*
	Hydraulic System	Yes	*
	Tipping Hydraulic Cylinders(Make)	-	*
	Hydraulic System Driven by	Main Engine	*

	Tipper Container Material	Mild Steel	Mild Steel
	Thickness of sheet from tipper Collector Container Made (mm)	2.5	*
	Dumping Height (mm)	718	*
	Engine Oil Pressure Level Indicator in Control Panel	Yes	*
	Fuel Gauge Indicator in Control Panel	Yes	*
	Engine Cooling Liquid Temperature Indicator in Control Panel	Yes	*
	Operating Hour Meter	No	*
	Locking/Unlocking of Tipper Discharge Container	Yes	*
	Lowering/Lifting of Tipper Discharge Container	Yes	*
	Counter Weight	No	*
	If yes Counter Weight (kg)	0	*
	Paint	Automotive Paint	*
Performance Parameters	Standard Sparewheel and Tool Kit	Yes	*
	Warranty Time (Month)	12	12.0
	No. Of Free Service (Nos)	3	*
	Battery Warranty (Months)	12	12, 24, 36 Or higher
	Warranty Distance (Km)(Unlimited during warranty Period) hted in bold are the Golde	Yes	*

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

## **Additional Specification Documents**

# **Consignee/Reporting Officer and Quantity**

S.No. Consignee/Reporting Officer	Address	Quantity	Delivery Days	
-----------------------------------	---------	----------	---------------	--

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

1	Ravishanker Sinha	852201,NAGAR PARISHAD	3	45	N/A
		SAHARSA BIHAR-852201			

# **Bid Specific Additional Terms and Conditions**

- 1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 2. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- 3. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 4. ISO 9001: The bidder must have ISO 9001 certification.
- 5. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 6. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 8. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 9. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 10. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 11. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 12. Procurement under this bid is reserved for purchase from Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog

Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.

- 13. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
  - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
  - b. Execution certificate by client with order value.
  - c. Any other document in support of order execution like Third Party Inspection release note,
- 14. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
  - (i) Single order of at least 35% of estimated bid value; or
  - (ii) Two orders of at least 20% each of estimated bid value; or
  - (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

This RA is also governed by the General Terms and Conditions

---Thank You---