

Bid Number: GEM/2020/B/707252

Dated: 12-07-2020

Bid Document

bia Document				
Bid Details				
Bid End Date/Time	22-07-2020 14:00:00			
Bid Opening Date/Time	22-07-2020 14:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Rajasthan			
Department Name	Technical Education Department Rajasthan			
Organisation Name	Rajasthan Technical University (rtu) Kota			
Office Name	Rajasthan Technical University Kota			
Total Quantity	76			
Item Category	Executive Computer Table (PAC Only)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Bidder Turnover,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No

ePBG Detail

Splitting

Bid splitting not applied.

Executive Computer Table (76 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriocompanionc2computertable

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Type of Computer Table	Computer table with key board drawer and table top	*
	Mode of Supply	Knocked Down To Be Assembled At Consignee Site By The Seller	*
	Construction of Computer/Printer Table	Gable end and modesty panel	*
	Frame type	Free standing	*
MISC	Table top long sides	Edge banded with PVC tape of 2 mm thick with help of hot melt glue	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end modesty panel plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4-Nos. at bottom	*
	Wheels provided	YES	*
FINISHING AND PACKING	Packing	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
	Colour of Top	oak	*
MATERIAL	Material of table top,keyboard and drawer	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Bottom side of top	should have balancing sheet of requisite thickness of same colour as top laminate	*

	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
DIMENSION	Table top thickness ±2mm	19	*
	Thickness of gable end and modesty panel ±2mm	19	*
	Dimension of leg(mmXmm) ±5mm	No legs	*
	Length of table in mm (±15 mm)	1220	1220.0
	Depth of table in mm (±10mm)	610	610.0
	Height of table in mm (±10mm)	760	760.0
	Width of outside drawer on top right side of the table with ball bearing (±5mm)	400	*
	Depth of outside drawer±5mm	430	*
	Height of outside drawer±5mm	150	*
KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray	Prelaminated particle board keyboard tray
	Material of keyboard tray and Right angle L- type supporting bracket	Three layer prelaminated particles board(wood product) of grade II type II of IS 12823/Latest	*
	Keyboard adjustablity	underdesk keyboard arm	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channel ±I0mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Keyboard front	650mm	*

	width±10mm		
	Keyboard depth±10mm	400mm	*
	Keyboard height±10mm	100mm	*
	Finish of exposed edges of keyboard tray	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue	*
	Material thickness of keyboard tray ±1mm	15mm	*
FOOTREST	Material of footrest	No footrest	No footrest
	Length of footrest ±10mm	N.A	*
	Depth of footrest ±10mm	N.A	*
	Height of footrest ±10mm	N.A	*
	Finish of exposed edges	N.A	*
	Material thickness of footrest ±2mm	No footrest	No footrest
WARRANTY	Warrantee period in number of years	1	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V V D N Kamesh	324010,Rajasthan Technical University, Rawatbhata Road,	76	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

This Bid is also governed by the General Terms and Conditions

---Thank You---