

Bid Number: GEM/2020/B/703513

Dated: 08-07-2020

### **Bid Document**

Bid Document					
Bid Details					
Bid End Date/Time	18-07-2020 23:00:00				
Bid Opening Date/Time	18-07-2020 23:30:00				
Bid Life Cycle (From Publish Date)	90 (Days)				
Bid Offer Validity (From End Date)	30 (Days)				
Ministry/State Name	Uttar Pradesh				
Department Name	State Public Service Commission				
Organisation Name	Uttar Pradesh State Public Service Commission				
Office Name	Allahabad				
Total Quantity	6				
Item Category	chairs-office				
MSE Exemption for Years of Experience and Turnover	No				
Startup Exemption for Years of Experience and Turnover	No				
Document required from seller	Experience Criteria, Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer				
Bid to RA enabled	No				
Inspection Required	No				

### **EMD Detail**

Required	No

### ePBG Detail

### Splitting

Bid splitting not applied.

# Chairs-office ( 6 pieces )

### **Technical Specifications**

### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	leather	leather
	Thickness of Plywood used in Backrest IN MM (±1 mm)	12 mm	*
	Frame Material	MS	MS
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	45 Kg/Cub.M	*
	Material of Fabric of Seat Cover	leather foam	leather foam
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	45 Kg/Cub.M	*
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	N.A	N.A
	Arm Material	chrome mild steel	chrome mild steel
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm	50 mm
	Shoe Type	nylon rubber	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms

	Type of Seat and Backrest	Padded with Polyurethane Foam	Padded with Polyurethane Foam
	Frame Type	Cantilever	Cantilever
	Castors	Without	Without
DIMENSION	Size of Material (mm)	16 SWG 30 mm round pipe	16 SWG 30 mm round pipe
	Chair Height ±15(mm)	1000 mm	1000 mm
	Seat Depth ±10(mm)	500 mm	500 mm
	Seat Width ±10 (mm)	550 mm	550 mm
	Seat Height IN MM ±5(mm)	460	460
	Backrest Width ±10(mm)	500 mm	500 mm
	Backrest Height ±10(mm)	700 mm	700 mm
	Arm Length ±5(mm)	300 mm	300 mm
	Arm Width ±2(mm)	30 mm	30 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	N.A	*
	Paint Type	powder coated on MS	powder coated on MS
	Colour of Paint	white	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
WARRANTY	Warranty period in number of years	1	1

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.
\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Harish Kumar Maurya	211018,10, Kasturba Gandhi Marg Allahabad	6	30

## **Bid Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---