



Dated: 10-07-2020

Bid Document

DIA DOMINIONE				
Bid Details				
Bid End Date/Time	20-07-2020 15:00:00			
Bid Opening Date/Time	20-07-2020 15:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	75 (Days)			
Ministry/State Name	Jharkhand			
Department Name	Health Medical Education And Family Welfare Department Jharkhand			
Organisation Name	N/a			
Office Name	Jharkhand Rural Health Mission Society			
Total Quantity	12			
Item Category	vortex mixers			
Bidder Turnover (Last 3 Years)	5 Lakh (s)			
Experience Criteria	3 Year (s)			
MSE Exemption for Years Of Experience and Turnover	Yes			
Startup Exemption for Years Of Experience and Turnover	Yes			
Document required from seller	Experience Criteria, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	19200

ePBG Detail

Advisory Bank	State Bank of India

ePBG Percentage(%)	2.00
Duration of ePBG required (Months).	38

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Consultant Procurement and Logistics

Jharkhand Rural Health Mission Society, Health Medical Education and Family Welfare Department Jharkhand, N/A,

(Santosh Kumar)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Vortex Mixers (12 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
DISCREPTION	Type of Drive Motor	Brushless DC Motor	Brushless DC Motor
	Display Option/Output Read out Option	Digital	Digital
	Material of Mixing Head/vortex cup	Silicone	Silicone
	Type of Vortex Mixer	Mini Vortex Mixer	*
	Type of Controller	Microprocessor	Microprocessor

		Controlled	Controlled
	Timer Setting (Increment step)	2	*
	Base material	Die cast aluminium	Die cast aluminium
	Number of Sample tubes testable simultaneously	Multi-Tube	Multi-Tube
	Weight (kg)	2	*
	User Interface	Digital Front Panel Without Glove mode	Digital Front Panel Without Glove mode
	Largest Volume of the tube testable	200	200.0
	Finish of Body material	Powder coated	Powder coated
	Body Material	Die cast Aluminium	Die cast Aluminium
	Maximum Load capacity	1.5	1.5
WARRANTY	Warranty on machine	3	3.0
FEATURES	Speed increment step,if variable speed (RPM)	100	*
	IP rating or Ingress protection rating	21	21
	Activation mode	Press Activated	Press Activated
	Speed mode	Fixed Speed	Fixed Speed
	Type of Data Logging option	RS232	*
	Number of Program mable/Programmed modes	5	5
	Maximum Speed (RPM)	20000	*
	Minimum Speed (RPM)	300	300
	Timer Provided	No	No
	Input Current (Amp)	1500	*
	Pulse mode	No	*
	In built Counter balance	No	*
	Programmable Pulse mode	No	No
	Speed control Accuracy (+/-) (RPM)	10	0.0 - 10.0 Or lower
	Suction Cup in the base	No	*

Maximum Diameter of the tube testable (mm)	15	*
Accessories and spares included in standard pack	-	*
Auto Cutoff	Yes	*
Orbital Diameter	3	3.0
External Dimension: Height	44	*
External Dimension: Width	67	*
External Dimension: Depth	80	*
Power Consumption (W)	1800	*
Input Voltage (V) with number of Phases	230	230
availability of test report (to be furnished to Buyer by Seller on demand of the former) from NABL/ILAC/Govt laboratory	Yes	*
Test Report Number and date	-	*
Name and address of the Lab issuing test report	-	*
Product CE certified	Yes	Yes
Firm certified to ISO9001:2008 or latest	YES	*
If CE certified, EN/IEC ditrectives	-	*
Ambient operating Temperature (0 to 50 Degree Celsius)	YES	*
	the tube testable (mm) Accessories and spares included in standard pack Auto Cutoff Orbital Diameter External Dimension: Height External Dimension: Width External Dimension: Depth Power Consumption (W) Input Voltage (V) with number of Phases availability of test report (to be furnished to Buyer by Seller on demand of the former) from NABL/ILAC/Govt laboratory Test Report Number and date Name and address of the Lab issuing test report Product CE certified Firm certified to ISO9001:2008 or latest If CE certified, EN/IEC ditrectives Ambient operating Temperature (0 to 50 Degree Celsius)	the tube testable (mm) Accessories and spares included in standard pack Auto Cutoff Orbital Diameter External Dimension: Height External Dimension: Width External Dimension: Depth Power Consumption (W) Input Voltage (V) with number of Phases availability of test report (to be furnished to Buyer by Seller on demand of the former) from NABL/ILAC/Govt laboratory Test Report Number and date Name and address of the Lab issuing test report Product CE certified Yes Firm certified to ISO9001:2008 or latest If CE certified, EN/IEC ditrectives Ambient operating Temperature (0 to 50 Degree Celsius)

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti	Address	Quantity	Delivery Days

^{*} Specifications highlighted in bold are the Golden Parameters.
* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

	ng Officer			
1		834010,Jharkhand Rural Health Mission Society, G V I Campus, Tata Road, Namkum, Ranchi	12	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---