

Bid Number: GEM/2020/B/709862

Dated: 14-07-2020

Bid Document

Bid Details			
24-07-2020 17:00:00			
24-07-2020 17:30:00			
90 (Days)			
45 (Days)			
Madhya Pradesh			
Department Of Higher Education Madhya Pradesh			
Government College Rau Indore			
Indore			
1			
Video Conferencing End Point			
No			
No			
Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
No			
No			

EMD Detail

Required	No
Required	No

ePBG Detail

Demiliand	Nie
Required	No

Splitting

Bid splitting not applied.

Video Conferencing End Point (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specification	Type of End Point	1+8 Multiparty Full HD	1+8 Multiparty Full HD
	Does it require mandatory registration with MCU	NA	*
	Video Conferencing System Resolution	1080p, 30 fps	1080p, 30 fps, 1080p, 60 fps, 4K, 30 fps, 4K, 60 fps Or higher
	Minimum Bandwidth Required for Specified video quality at End point/far-site end (Kbps)	1024	*
	Type of Camera	PTZ	PTZ Or higher
	Camera Positioning System	Preset	Automatic Voice Activated, Face Detection, Preset Or higher
	Type of sensor	CMOS	*
	Camera Control (focusing, brightness, and white balance)	Manual	*
	Multiple Camera System in case of Automatic Voice activated CameraTracking	NA	*
	Optical zoom	12X	10X, 12X, 20X, 22X, 30X Or higher
	Digital zoom	NA	*
	Field of View at zoom (Degree)	70	*
	Pan range Minimum to Maximum (+/- Degree)	90,-90	*
	Tilt Range (Degree)	20,-20	*
	Cord and Connector to be supplied	Yes	*
	System delivers Full HD video and voice & Full HD content for an overall Full HD	Yes	*

experience at specified		
bandwidth	11.264 III. b. 5. 61	*
Video coding support Protocol	H.264 High Profile	*
System has G-722/ G-711/ G-729 or equivalent nt wideband audio coding support	Yes	*
System supports sharing of video and graphics content during the video call	1080p, 30fps	1080p, 30fps, 1080p, 60fps, 4k, 30fps, 4k, 60fps Or higher
It is possible to see both the near and far site on one Screen thus making most efficient use of a single display area	Yes	*
System is equipped with one or more Omni directional High Definition Microphones as required to cover large conference room	Yes	*
Number of microphone supported	3	*
Number of microphone supplied	3	3, 4, 5, 6, 7, 8 Or higher
	1	
microphone supplied Number of camera support from the same		higher
microphone supplied Number of camera support from the same OEM Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet	1	higher *
microphone supplied Number of camera support from the same OEM Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet connection	1	* *
microphone supplied Number of camera support from the same OEM Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet connection Wi Fi Connectivity If Yes, Type of Wi Fi	1 1 Yes	* * Yes Or higher
microphone supplied Number of camera support from the same OEM Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet connection Wi Fi Connectivity If Yes, Type of Wi Fi Connectivity System supports AES encryption video calls; System has Encryption	1 1 Yes Integrated	* Yes Or higher Integrated Or higher
Microphone supplied Number of camera support from the same OEM Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet connection Wi Fi Connectivity If Yes, Type of Wi Fi Connectivity System supports AES encryption video calls; System has Encryption On and Off capability Video Codec shall	1 Yes Integrated Yes	* Yes Or higher Integrated Or higher *

use infra-red hand held	1	1
remote control / Touch		
Panel with operating		
distance		
All equipment are in	Yes	*
compliance with the requirements of ITU-T		
(SIP Protocol & H Dot		
323) Standard related		
to Video Conferencing		
System to be IPv6	Yes	*
ready from day one		
System uses standards	Yes	*
based protocols & the offered system is inter		
operable with any		
existing H-323		
AVC/SVC based VC equipment in a P to P		
call on VC end point; All		
H/W and S/W required		
to make it interoperable is		
included in the scope of		
supply		
Number of Input DVI	0	*
Ports		
Number of Input HDMI	1	*
or equivalent Ports	_	
Number of Input USB Ports	1	*
	0	*
Number of Output DVI Port		
Number of Output	3	*
HDMI or equivalent Port		
Number of output USB	1	*
Port		
Calendering Feature	Yes	*
Recording @1080p	Yes	Yes Or higher
on the end point		
System supplied	Yes	*
complete with the following components		
from the same OEM (a)		
Codec (b) Camera (c)		
At least one Microphones with		
suitable connectivity		
(d) Remote		
Control/Touch Panel (e)		
Data sharing capability		

using H/W or S/W (f) Necessary Cables		
Type of Microphone	Omni Directional	*
System is also tropicalized and report available from ILAC/NABL/Govt Lab with all add on including Environmental Sequence	No	*
(a) Dry Heat- For 16 hrs at 55 deg C as per IS:9 000/pt-3/sec-5/1977(b) Cold-For 4 hrs at 0 deg C as per IS:9000/pt-2/sec-4/197 7 (c) Damp Heat- For 2 Cycles of 24 h each at 40 deg C & 95% RH as per IS:9000/pt-5/sec-1/1991 (All Reaffirmed 2007)	No	*
After each environmental test and a recovery period of two hours, the video conferencing system has been checked for complete functional parameters, and the results found satisfactory	No	*
Type Test Report from ILAC/NABL/Govt lab confirming conformance to above technical specifications - to be made available to buyer	No	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number and its Validity	-	*
UL/CE certification	Yes	*
If Yes, UL/CE certificate Number (Corresponding UL/CE Certificate to be furnished when demanded by the buyer)	-	*

On Site OEM Warranty (Year)	1	1, 3, 5 Or higher
Free installation and commissioning	Yes	*
Maximum Operating humidity (%RH)	80	*
Minimum Operating humidity (%RH)	10	*
Maximum Operating Temperature (Degree C)	40	*
Minimum Operating temperature (Degree C)	0	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Dr Dilip Billore	453331,GOVT COLLEGE RAU GURUKUL PARISAR RANGWASA ROAD INDORE	1	60

Bid Specific Additional Terms and Conditions

- 1. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- 2. Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods
- 3. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 4. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 5. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 6. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---