

Bid Number: GEM/2020/B/706402

Dated: 10-07-2020

## **Bid Document**

Bid Details			
20-07-2020 19:00:00			
20-07-2020 19:30:00			
90 (Days)			
80 (Days)			
Ministry Of Railways			
Na			
N/a			
South Eastern Railway			
897			
Safety Footwear - BIS Specification			
No			
No			
Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
80 %			
No			
No			

## **EMD Detail**

1 1		
ll Dan Paral	L R L -	
Required	INo	
Negan ea	1110	
1 1		

### ePBG Detail

	•
Required	No

## Splitting

Bid splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

# **Safety Footwear - BIS Specification (897 pairs)**

#### **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
SPECIFICATION	Technical Specification of the Product	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 ( Part 2 ): 2016, Latest	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 ( Part 2 ): 2016, Latest
	Specification has been seen and Understood	Yes	*
CERTIFICATION	BIS Certification	Yes	Yes
	CM/ L No if BIS marked	-	*
UTILITY	Utility	Men	Men
CLASSIFICATION	Classification	Class I ( Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear )	Class I ( Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear )
DESIGN	Design	A ( Low shoe )	A ( Low shoe )
PATTERN	Pattern	Derby	*
SIZE	Size	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements
MASS	Mass of one pair of Footwear ( gram )	-	*
Material	Upper for Class 1 Footwear	Leather	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Buff Barton Print	Buff Barton Print
	Material for Class II	All Rubber	All Rubber

	Footwear		
	Any other Polymeric Material for Class II Footwear	-	*
	Vamp Lining	With ( Classification I and Classification II Footwear )	With ( Classification I and Classification II Footwear )
	Vamp Lining Material	Leather	Leather
	Quarter Lining	Yes	Yes
	Quarter Lining Material	Leather	Leather
	Toe Cap	( Steel ) Metallic	( Steel ) Metallic
COLOUR	Colour	Black	*
	Any other Colour as per buyer's requirements	-	*
OTHER REQUIREMENTS	Insole	Yes	Yes
	Insocks	No Insocks	No Insocks
	Tongue ( For Designation I Footwear )	Full Bellow Tongue	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
LACING/ CLOSING OF	Closing ( Tieing )	Laces	Laces
SHOES	Lacing of Shoes	Holes without Eyelets	Holes without Eyelets
	Eyelets ( Pairs )	4 pairs	4 pairs
	Material of Eyelets	Brass Eyelets	Brass Eyelets
	Laces	Polyester	*
	Cross Section Shape of Laces	Flat	*
	Breaking Load of Laces ( min )	600 N	*
	Length of Laces	90 cm	*
SOLE	Sole Description/ Material	Direct Moulded Single Density Polyurethane	Direct Moulded Single Density Polyurethane
	If Any Other Material of Sole	-	*
	Sole Design	Cleated	Cleated
	Construction	Multi layer	Multi layer
SLIP RESISTANT	Slip Resistant	As per clause 5.3.5.2 of IS 15298 ( Part 2 )- Slip resistance on ceramic	As per clause 5.3.5.2 of IS 15298 ( Part 2 )- Slip resistance on ceramic

		tile floor with sodium lauryl sulphate (NaLS) solution	tile floor with sodium lauryl sulphate (NaLS) solution
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS- WHOLE FOOTWEAR	Additional Requirements for Special Applications- Whole Footwear	Penetration Resistance (Metallic antipenetration insert), Penetration Resistance (Nonmetallic antipenetration insert), Electrical Properties-Conductive Footwear, Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance	Penetration Resistance (Metallic antipenetration insert), Penetration Resistance (Non-metallic antipenetration insert), Electrical Properties-Conductive Footwear, Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS ( UPPER )	Water penetration and absorption	Yes	Yes
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS ( OUTSOLE )	Additional Requirements for Special Applications- Outsole	Resistance to hot contact,Resistance to fuel oil	Resistance to hot contact, Resistance to fuel oil
LOGO AND MARKING	Logo/ Totem/ Emblem Marking	As per buyer's requirements	As per buyer's requirements
	Size, design, Type and Location of Logo as per buyer's requirement	-	*
Test Report	Availability of Test Report from Designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No	No
	Name of the Lab	-	*
	Address of the Lab	-	*
	Test Report No	-	*
	Test Report Date	-	*

	Test reports to be furnished to buyer on demand, if claimed to be available	Not Applicable	*
ADVANCE SAM	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes	Yes

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Thirumalaiswamy Prasanna Venkatesan	721301,Office of the Sr. DMM/KGP, Bunglow no. 251, in front of DRM building, near SBI ATM, Kharagpur.	897	30

## **Bid Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 3. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): RITES
  - Post Receipt Inspection at consignee site before acceptance of stores: CONSIGNEE
- 4. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
- 5. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 6. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 7. ISO 9001: The bidder must have ISO 9001 certification.
- 8. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
- 9. After award of contract Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit 15 samples for Buyer's approval, within 21 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

complete list of modification required in the sample within 21 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

This Bid is also governed by the General Terms and Conditions

---Thank You---