

### RA Document

RA Details	
RA Technical End Date/Time	23-07-2020 16:00:00
RA Opening Date/Time	23-07-2020 16:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Social Justice And Empowerment
Department Name	Department Of Empowerment Of Persons With Disabilities
Organisation Name	N/a
Office Name	Pandit Deendayal Upadhyaya National Institute For Persons With Physical Disabilities
Total Quantity	8
Item Category	Executive Table
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

RA splitting not applied.

### Executive Table ( 8 pieces )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Assembled Ready To Use	Assembled Ready To Use
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	Both side	Both side
	<b>Keyboard tray</b>	Provided	Provided
	<b>Foot rest</b>	Not Provided	Not Provided
MATERIAL	<b>Table top Material</b>	Teak wood	Teak wood
	<b>Gable end and modesty panel material</b>	Teak wood	Teak wood
	<b>Leg Material</b>	Other wood	Other wood
MISC	Table top long sides	To be post form half round profile	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	CP Teak Wood Lipping	*
	Number of buffers provided	N.A	*
DIMENSION	<b>Thickness of table top <math>\pm 2</math> mm</b>	5	5.0
	Thickness of gable end and modesty panel $\pm 2$ mm	5	*
	<b>Length of table top <math>\pm 10</math> mm</b>	1200	1200.0
	<b>Depth of table <math>\pm 10</math> mm</b>	600	600.0
	<b>Height of table <math>\pm 10</math> mm</b>	700	700.0
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	50mmX50mm	50mmX50mm
STORAGE UNIT	<b>Number of Storage unit provided</b>	Four storage	Four storage
	Width of storage unit $\pm 10$ mm	400mm	*
	Depth of storage unit in mm ( $\pm 10$ mm)	600	*
	Height of smallest	100mm	*

	storage unit $\pm 5\text{mm}$		
	Height of medium storage unit $\pm 5\text{mm}$	150mm	*
	Height of largest storage unit $\pm 5\text{mm}$	230mm	*
KEYBOARD TRAY	Type of keyboard tray	Wooden keyboard tray	*
	Material of keyboard tray and Right angle L-type supporting bracket	Stainless steel of grade SS 202	*
	Keyboard adjustability	underdesk keyboard arm	*
	fixing of supporting bracket	With telescopic	*
	Length of telescopic channel $\pm 10\text{mm}$	N.A	*
	Average weight of telescopic channel $\pm 50\text{Gms}$	N.A	*
	Keyboard front width $\pm 10\text{mm}$	600mm	*
	Keyboard depth $\pm 10\text{mm}$	350mm	*
	Keyboard height $\pm 10\text{mm}$	100mm	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray $\pm 1\text{mm}$	2mm	*
FOOTREST	Material of footrest	Teak wood	*
	Length of footrest $\pm 10\text{mm}$	N.A	*
	Depth of footrest $\pm 10\text{mm}$	N.A	*
	Height of footrest $\pm 10\text{mm}$	N.A	*
	Finish of exposed edges	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue	*
	<b>Material thickness of footrest <math>\pm 2\text{mm}</math></b>	9mm	9mm
COLOUR & FINISH	Table top finish	Teak laminate/ply with polish	*
	Table top shade	As per Buyer's choice	*

WARRANTY	<b>Warrantee period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	*
	<b>Product having BIFMA certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	NO	NO
	<b>OEM of offered product is ISO 14001:2015 certified</b>	NO	NO
	<b>OEM of offered product is ISO 18001:2007 certified</b>	NO	NO

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	Daljeet Singh Bawa	110002,DIRECTOR, PANDIT DEENDAYAL UPADHYAYA NATIONAL INSTITUTE FOR THE PERSONS WITH PHYSICAL DISABILITIES (DIVYANGJAN) MINISTRY OF SOCIAL JUSTICE AND EMPOWERMENT (GOVT. OF INDIA) 4,VISHNU DIGAMBER MARG NEW DELHI 110002 GSTIN 07AAAAT2962P1ZZ	8	15	N/A

#### Bid Specific Additional Terms and Conditions

1. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---