

Bid Number: GEM/2020/B/706962

Dated: 11-07-2020

Bid Document

Blu Document		
Bid Details		
Bid End Date/Time	21-07-2020 16:00:00	
Bid Opening Date/Time	21-07-2020 16:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	30 (Days)	
Ministry/State Name	Ministry Of Railways	
Department Name	Na	
Organisation Name	N/a	
Office Name	Eastern Railway	
Total Quantity	180	
Item Category	Plain Copier Paper	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	

EMD Detail

Required	l No
Negan ea	

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Plain Copier Paper (180 ream)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformance to Indian Standard	Conforming to IS14490 : Latest	*
	Whether ISI Marked	Yes	Yes
	Give CML number if ISI marked Write NA if not ISI marked	-	*
	Test Method as per IS:1060	Yes	*
Test Report Details	"Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification"	Yes	*
	"Test Report to be Submitted to the Buyer on demand"	Yes	*
Additional Requirements for eco mark	The material shall be manufactured from pulp containing not less than 60% by mass of pulp made from materials other than bamboo,hard woods ,softwoods and reed or the material shall be manufactured from pulp made from 100%waste paper	Yes	*
Size	Size of paper	A4	A4
	GSM of paper	70	70
Quantity	"Number of sheets per Ream"	500	500
Physical Characteristics	"ISO Brightness,perc ent,Min"	82.71	82.71
	Opacity percent,Min	1	1
	"One minute Cobb test both sides,g/m2,Max"	10	10
	"Tensile Index Machine Direction (MD) ,Nm/g, Min"	40	40
	Tensile Index Cross Direction(CD),Nm/g, Min	25	25

	"Tear Index in mN m²/g,Machine Direction(MD),Min"	4.5	4.5
	"Tear Index in mN m²/g,Cross Direction(CD)Min,"	3	3
	"Smoothness for both sides (Bendtsen) in ml/min,Max"	150	150
	"Ash content(900°C) ,percent by mass,Max"	150	150
	Thickness in µm,Min	95	95
	"Moisture content,percent,Max	4.5	4.5
	"Taber Stiffness ,Machine Direction(MD),Min"	2	2
	Taber Stiffness ,Cross Direction(CD),Min	1	1
	"Surface Strength Dennison (Wax Pick)"	No pick on 12 A	No pick on 12 A
Packing and Marking	"Packing as per clause 6-1 of IS:14490(Latest)"	Yes	*
	Package should be marked with Description, size of Paper, Quantity, Mass of 500/250 sheets including wrapping paper in kg/ream Chargeable wt should be net wt excluding the wt of packing, Lot Number and month/year of manufacturing, Name of manufacturer	Yes	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

	-		,	
S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Pritam Kumar	811214,EASTERN RAILWAY LOCOMOTIVE WORKSHOP,JAMALPUR, DISTT-MUNGER	180	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---