



#### **Bid Document**

	bid bocument	
Bid Details		
Bid End Date/Time	27-07-2020 15:00:00	
Bid Opening Date/Time	27-07-2020 15:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	45 (Days)	
Ministry/State Name	Andaman & Nicobar	
Department Name	Police Department Andaman & Nicobar	
Organisation Name	N/a	
Office Name	Police Head Quarter	
Total Quantity	210	
Item Category	Gear lubricants, Multipurpose	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	

# **EMD Detail**

[	
Required	No

### ePBG Detail

Required	No

# Splitting

Bid splitting not applied.

# **Gear Lubricants, Multipurpose (210 liter)**

#### **Technical Specifications**

# \* As per GeM Category Specification

Specification	Specification Name		Bid Requirement (Allowed Values)
Type of extreme pressure (EP) oils	Туре	EP type-5	EP type-5

Requirements for Grade	Grade	SAE-85W	SAE-85W
Physico-Chemical Requirement of gear Iubricant, Multipurpose	Appearance: When examined in transmitted light in a colourless glass test tube of 25 mm internal diameter, the oil shall be clear, bright and tree from turbidity and sediment	YES	*
	Kinematic viscosity in cSt at 100°C, Min	24 to 41	24 to 41
	"Maximum temperature for brookfield viscosity of 150000 CP,°C"	-12	*
	Viscosity index, Min	85	85
	Flash point,°C (Claveland open cup), Min	200	*
	Channel point,°C	Pass at-20	*
	Copper strip corrosion, Max (Max/EP type GL-4 121°C for 1 h)	Not worse than no. 2	*
	Copper strip corrosion, Max (EP type GL-5 121°C for 3 h)	Not worse than no. 3	*
	Foaming characteristics/tendency/sta bility: at 24°C, Max	300/Nil	*
	Foaming characteristics/tendency/sta bility: at 93 point 5°C, Max	50/Nil	*
	Foaming characteristics/tendency/sta bility: at 24°C, after the test at 93 point 5°C,Max	300/Nil	*
Permissible tolerances for	Relative density	To be reported	*
Qualification	Flash point,°C (COC)	Minimum as specified	*
	Channel point, °C	Maximum as specified	*
	Temperature for brookfield viscosity of 150000 cp,°C	Shall pass the test	*
	Kinematic viscosity in cSt at 100°C	Within the range specified	*
	Viscosity index	Minimum as specified	*
	Sulphur, percent by mass	±20 percent	*
	Phosphorus, percent by mass	Shall pass the test	*
	Chlorine, percent by mass	Shall pass the test	*
	Zinc, percent by mass	Shall pass the test	*
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	YES	*
	"The containers shall be securely closed and marked with following information :	YES	*

	a) Indication of the source of manufacture, recognized trade-mark,if any; b) Name, type and grade of the materiai; c)Net mass in the material; and f) Identification in code or batch number or otherwise to enable the lot of consignment or manufacture to be traced back from records"		
	All marking including batch number or lot of manufacture shall be made on one flat end when the material is packed in barrels	YES	*
	The containers may also be marked with the standard mark	YES	*
Certification	Conforming to IS:1118(Latest)	YES	*
	Whether ISI Marked	NO	*
	CM/L Number(Must declare if ISI Marked)	NA	*
	RDSO Approval	NA	*
	RDSO approval certificate to be submitted to the buyer on demand	NA	*
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab(hint: Must be declared)	NO	*
	Test Report to be furnished to the Buyer on demand (Must be declared, write NA if Test Report is not available)	YES	*

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prabhakar Singh N	744101,Police Motor Transport, Mohanpura, Port Blair	210	30

# **Bid Specific Additional Terms and Conditions**

- 1.Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.
- 2. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 3.IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

This Bid is also governed by the General Terms and Conditions

# ---Thank You---