

Bid Document

Bid Details	
Bid End Date/Time	02-07-2020 11:00:00
Bid Opening Date/Time	2020-07-02 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Uranium Corporation Of India Limited
Office Name	Kadapa
Total Quantity	1
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Almirah Steel (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes	Yes
	No of shelves (Nos)	4	4
	Type of Shelves	Fixed	Fixed
	Locker Provided	No	No
	Locking System with the locker	NA	NA
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	No	No
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Welded	Welded
	Lock	Cam Lock	Cam Lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	CRCA conforming to Grade D of IS:513/Latest	CRCA conforming to Grade D of IS:513/Latest
	Sheet Thickness of Locker	N.A	N.A
	Length of Glass Sheet ± 10 (mm)	N.A	N.A
	Width of Glass Sheet ± 10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of	0.7 mm minimum (Not	0.7 mm minimum (Not

	sides,back , Top and Bottom	as per IS 3312)	as per IS 3312)
	Sheet Thickness of Shelves	0.7 mm	0.7 mm
	Sheet Thickness of Pedestal in mm	1.0 mm	1.0 mm
	Material of Lock	Brass and steel finish	Brass and steel finish
	Material of Keys	brass and steel finish	brass and steel finish
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855	1855
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (±5 mm)	455	455.0
	Inside Height of Locker in mm (± 5 mm)	N.A	N.A
	Inside Width of Locker in mm (±5 mm)	N.A	N.A
	Inside Depth of Locker in mm (±5 mm)	N.A	N.A
	Width of Stiffner in mm (±5 mm)	N.A	N.A
	Thickness of MS Sheet of Stiffner (in mm)	0.7 mm	0.7 mm
	Stiffened Pedestal height in mm (±2 mm)	125	125
	Pedestal Width in mm (±2 mm)	75	75
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	AS PER BUYER CHOICE	*
	Packing:	Gutta Packing	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---