

Bid Number: GEM/2020/B/703510

Dated: 08-07-2020

### **Bid Document**

Bid Document				
Bid Details				
Bid End Date/Time	18-07-2020 23:00:00			
Bid Opening Date/Time	18-07-2020 23:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Uttar Pradesh			
Department Name	State Public Service Commission			
Organisation Name	Uttar Pradesh State Public Service Commission			
Office Name	Allahabad			
Total Quantity	1			
Item Category	Revolving Chair			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	ment required from seller  *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption m be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

### **EMD Detail**

Required	No

#### ePBG Detail

Required	No

## Splitting

Bid splitting not applied.

# Revolving Chair ( 1 pieces )

## **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Steel covered with polypropelene	Steel covered with polypropelene
	seat material	PU Foam Covered With pure leatherite	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	55	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	55	*
	Material of Fabric Back Cover / Material for Backrest	Leatherite	Leatherite, N.A
	Material of Fabric of Seat Cover	leatherite	leatherite
	GSM/Thickness of fabric ±5%(Gram/Square meter)	N.A	*
GENERAL	Chair Type	knee tilt synchronic	knee tilt synchronic
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 120 mm	up to 120 mm
	Arm	With	With
	Type of backrest support	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	Arm Type	Fixed	Fixed
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has	No	No

	separate adjustable headrest		
	Seat type	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	5-Position Locking	*
	Number of arm movement	N.A	N.A
	Lumber support	external & adjustable	external & adjustable
DIMENSION	Overall Chair Height ±15mm	1330	1330
	Backrest Height ±15mm	570	570.0
	Backrest Width ±10mm	720	720.0
	Seat Height ±15 mm	500	500
	Seat Width ±10 mm	550	550
	Seat Depth ±10 mm	550	550.0
	Thickness of MS Plate Joining the under structure with Seat	0.9	0.9
	Thickness of Plywood used in Seat ±1(mm)	N.A	N.A
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	715	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	N.A	N.A
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A	N.A
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	NO	NO

OEM of offered product is ISO 9001:2015 certified	NO	NO
OEM of offered product is ISO 14001:2015 certified	NO	NO
OEM of offered product is ISO 18001:2007 certified	NO	NO
Green guard certification	NO	NO
Aiota	-	NO

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Harish Kumar Maurya	211018,10, Kasturba Gandhi Marg Allahabad	1	30

# **Bid Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.