

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 13:00:00
Bid Opening Date/Time	20-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Production
Organisation Name	Hindustan Aeronautics Limited (hal)
Office Name	*****
Total Quantity	4
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	87956

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to

MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

Almirah Steel (4 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes	Yes
	No of shelves (Nos)	4	4
	Type of Shelves	Fixed	Fixed
	Locker Provided	No	Yes, No
	Locking System with the locker	NA	YES, NO, NA
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	4	4
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	2, 4, 6, 8, 10, 12, N.A
	Construction	Welded	Welded, Knocked Down To Be Assembled At

			Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself, Knocked Down with sliding door, Welded with sliding door, Riveted
	Lock	Three Way bolting device controlled by 6 lever lock	Three Way bolting device controlled by lock, Three Way bolting device controlled by 6 lever lock, Cam Lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	N.A	0.7 mm, 0.8 mm, 0.9 mm, 1.0 mm, N.A
	Length of Glass Sheet ± 10 (mm)	N.A	*
	Width of Glass Sheet ± 10 (mm)	N.A	230 mm, 280 mm, 305 mm, 330 mm, 355 mm, 410 mm, 460 mm, N.A
	Sheet Thickness of door in mm	1.0 mm	1.0 mm
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.8 mm	0.8 mm
	Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)	0.8 mm (Minimum), 1.0 mm, 0.7 mm, 0.9 mm, NA, 1.25 mm
	Material of Lock	Brass and steel finish	Brass and steel finish, steel, lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	steel	brass and steel finish, steel, keys made of MAZAK / ZAMAK having

			nickle plated finish
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	2000	2000
	Width in mm (± 7 mm)	910	760, 910, 1023, 700, 1200, 900, 1250, 1300, 1350, 1830
	Depth in mm (±5 mm)	480	*
	Inside Height of Locker in mm (± 5 mm)	N.A	*
	Inside Width of Locker in mm (±5 mm)	N.A	380 mm, 455 mm, 510 mm, 760 mm, 910 mm, 916 mm, 1023 mm, N.A, 430 mm, 440 mm
	Inside Depth of Locker in mm (±5 mm)	N.A	430 mm, 455 mm, 486 mm, N.A, 390 mm, 400 mm, 410 mm, 420 mm
	Width of Stiffner in mm (±5 mm)	N.A	115 mm, 125 mm, 140 mm, 155 mm, N.A, 85 mm, 95 mm, 105 mm
	Thickness of MS Sheet of Stiffner (in mm)	N.A	0.6 mm, 0.7 mm, 0.8 mm, 0.9 mm, N.A
	Stiffened Pedestal height in mm (±2 mm)	120	120
	Pedestal Width in mm (±2 mm)	70	70, 75, 80, NA, 105 mm, 110 mm
COLOUR & FINISH	Finish	Synthetic enamel	Synthetic enamel
	Colour of Paint	ash gray	*
	Packing:	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****BANGALORE	4	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---