

### Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 21:00:00
Bid Opening Date/Time	18-07-2020 21:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Uttar Pradesh
Department Name	Urban Development Department Uttar Pradesh
Organisation Name	E-municipalities - Eservices To Citizens And Employees Of Urban Local Bodies Of Uttar Pradesh
Office Name	Nagar Palika Parishad Rampur Moradabad
Total Quantity	35
Item Category	Hopper Tipper Dumper
Bidder Turnover (Last 3 Years)	122 Lakh (s)
OEM Average Turnover (Last 3 Years)	980 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	30 %
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Advisory Bank	Bank of India
EMD Percentage(%)	3.00
EMD Amount	735000

## ePBG Detail

Required	No
----------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

### Beneficiary:

Executive Officer

Nagar Palika Parishad Rampur Moradabad, Urban Development Department Uttar Pradesh, e-Municipalities - eServices to citizens and Employees of Urban Local Bodies of Uttar Pradesh ,  
(Praveen Verma)

### Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Hopper Tipper Dumper ( 35 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Chassis Certification	ARAI	*
	Chassis Certification ARAI/VRDE/ICAT No	-	*
	At the time of supply of the equipment, the chassis should not be more than 6 months old	Yes	*
Generic Parameters	<b>Type of TIPPER</b>	Garbage Tipper	Box body Tipper, Rock body construction Tipper, Garbage Tipper, Other tipper
	Type of TIPPER if other tipper ,please declare type of Tipper,	-	*
	Make of Chassis	-	*
	Type of Chassis Frame	-	*
	<b>Category of Vehicle for which Chassis to be used</b>	Light Capacity Commercial Vehicles	Light Capacity Commercial Vehicles, Medium Capacity Commercial Vehicles, Heavy Capacity Commercial Vehicles
	Type of Chasssis	Chassis with Facecowl	*
	<b>Type of Fuel</b>	Diesel	Diesel, CNG, Petrol
	<b>Vehicle Emission Compliance</b>	BS-VI	BS-III (only for Defence), BS-IV, BS-VI
	Fuel Consumption ( declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl)	22	*
	Speed, Max (Km/Hr)	65	*
	<b>Max Engine Power BHP (BHP@rpm)</b>	20	Any applicable numeric value
	Rated RPM at Max Engine Power	20	*
	<b>Max Engine Torque (N-M@rpm)</b>	45	Any applicable numeric value
	Rated RPM at Max Engine Torque	3200	*
	<b>Main Engine Aspiration</b>	Natural Aspiration	Natural Aspiration, Turbocharged,

		Supercharged, Turbocharged+ Supercharged, Turbocharged Intercooled
No. of Cylinder in Main Engine (Nos)	45	*
Fuel Tank Capacity (Ltrs)	29	*
Gradeability of Vehicle with load( %)	27.6	*
Ground Clearance (mm)	160	*
Wheel Base (mm)	2100	*
Kerb Weight (Kg)	919	*
<b>Gross Vehicle Weight (Kg)</b>	919	Any applicable numeric value
Type of BIS MARKED Vehicle Tyre	Radial	*
<b>Chassis Transmission System</b>	Manual	Automatic, Manual
Number of Speed/ Forward Gears	4	*
<b>Type of Steering</b>	Manual	Manual, Power Operated
<b>Turning Radius,Min (mm)</b>	4300	Any applicable numeric value
Speed Governors/ECU	Yes	*
ABS Fitted	No	*
Front Vehicle Brake	-	*
Rear Vehicle Brake	-	*
Type of Clutch	-	*
Tipping Angle (Degree)	85	*
<b>Tipper Container capacity/Volume(cubic metres)</b>	2.1	0.5 - 20
Consructional Parameters	Size Of Front Tyres (mm)	-
	Size Of Rear Tyres (mm)	-
	Size of Wheel (mm)	304
	Tipper body Pivot length (mm)	0
	Tipper body Length (mm)	2240

	Tipper Body Height (mm)	735	*
	Overall Height of Tipper from Ground (mm)	1517	*
	Body Plate Thickness (mm)	1.5	*
	Main Frame Thickness (mm)	3	*
	Hydraulic System	Yes	*
	Tipping Hydraulic Cylinders(Make)	-	*
	Hydraulic System Driven by	Main Engine	*
	<b>Tipper Container Material</b>	Mild Steel	Mild Steel, Stainless Steel, Aluminium, Chromium Alloy Based
	Thickness of sheet from tipper Collector Container Made (mm)	1.5	*
	Dumping Height (mm)	1011	*
	Engine Oil Pressure Level Indicator in Control Panel	Yes	*
	Fuel Gauge Indicator in Control Panel	Yes	*
	Engine Cooling Liquid Temperature Indicator in Control Panel	Yes	*
	Operating Hour Meter	No	*
	Locking/Unlocking of Tipper Discharge Container	Yes	*
	Lowering/Lifting of Tipper Discharge Container	Yes	*
	Counter Weight	No	*
	If yes Counter Weight (kg)	0	*
	Paint	Automotive Paint	*
Performance Parameters	Standard Sparewheel and Tool Kit	Yes	*
	<b>Warranty Time (Month)</b>	12	Any applicable numeric value
	No. Of Free Service (Nos)	3	*

<b>Battery Warranty (Months)</b>	12	12, 24, 36 Or higher
Warranty Distance (Km)(Unlimited during warranty Period)	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vimal Kumar Mishra	244901,Nagar Palika Parishad Rampur, Near Hathi Khana, Rampur	35	30

### Bid Specific Additional Terms and Conditions

1. After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 10 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 10 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
2. **Consortium:** In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.
3. **IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
4. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): bidder premises  
Post Receipt Inspection at consignee site before acceptance of stores: our workshop
5. Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the

Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

6. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
8. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
9. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
10. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**