

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 18:00:00
Bid Opening Date/Time	20-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Uttar Pradesh
Department Name	Urban Development Department Uttar Pradesh
Organisation Name	N/a
Office Name	Nagar Palika Parishad Pihani District Hardoi
Total Quantity	400
Item Category	Tree Guard
Bidder Turnover (Last 3 Years)	4 Lakh (s)
OEM Average Turnover (Last 3 Years)	4 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Tree Guard (400 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONSTRUCTION / SIZE / MATERIAL	Construction Type	Circular Tree Guard of Angle Iron consisting of two semi circular frames made of M.S. angle iron vertical member welded with M.S. wire mesh as per sketch (Fig. 2) uploaded in GeM Portal	Circular Tree Guard of Angle Iron consisting of two semi circular frames made of M.S. angle iron vertical member welded with M.S. wire mesh as per sketch (Fig. 2) uploaded in GeM Portal
	Availability of Sketch (Figures)	Yes	*
	Sketch (Figures) have been seen, studied and understood	Yes	*

Number of frames required to form Tree Guard	2	2
Width / Diameter of Frame (D)	450	450.0
Height (H1) of the frame / Mesh (excluding legs)	1200	1200.0
Number of Legs in each frame	3	3
Height (H2) of the Legs (mm)	200	200
Number of vertical members in each frame	2	2
Size of Vertical Member (mm x mm x mm)	Angle Iron of 25 x 25 x 5 mm	Angle Iron of 25 x 25 x 5 mm
Number of cross supports in each frame	2	2
Cross support Size	Flat of 20 x 3 mm	Flat of 20 x 3 mm
Material of the Mesh	Galvanized M.S. Wire	Galvanized M.S. Wire
Wire Mesh Diameter / thickness	3.15 mm for M.S. Wire Mesh	3.15 mm for M.S. Wire Mesh
Mesh Aperture Size (mm x mm)	25 x 25	25 x 25
Frame joining to form Tree Guard	For joining angle iron frames together, two holes of size 8 mm dia on each side of the vertical member be drilled on the flange of the angle where wire mesh is not welded.	For joining angle iron frames together, two holes of size 8 mm dia on each side of the vertical member be drilled on the flange of the angle where wire mesh is not welded.
Hole position from the top of the frame (P1)	300	300
"Hole position from the bottom of the frame / mesh, excluding leg portion (P2)"	300	300
Provided Appropriate Nuts & Bolts for Forming Tree Guard	NA	*
Pre-treatment/finish of Tree guard	Red-Oxide Primer + Painted	Red-Oxide Primer + Painted

Overall Weight	12	*
----------------	----	---

- * Specifications highlighted in bold are the Golden Parameters.
- * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

GeM/DGsnd Drawing document	View
----------------------------	----------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjay Kumar	241406,Mohalla Nizampur Post and Town Pihani Tehsil Shahabad	400	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---