

### Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 09:00:00
Bid Opening Date/Time	20-07-2020 09:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	South Central Railway
Total Quantity	2
Item Category	Executive Table
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Executive Table ( 2 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	One side	One side
	<b>Keyboard tray</b>	Not provided	Not provided
	<b>Foot rest</b>	Not Provided	Not Provided
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	NO LEGS	NO LEGS
MISC	Table top long sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	<b>Thickness of table top <math>\pm 2</math> mm</b>	19	19.0
	Thickness of gable end and modesty panel $\pm 2$ mm	19	*
	<b>Length of table top <math>\pm 10</math> mm</b>	1200	1200.0
	<b>Depth of table <math>\pm 10</math> mm</b>	600	600.0

STORAGE UNIT	<b>Height of table <math>\pm 10</math> mm</b>	750	750.0
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	No legs	No legs
	<b>Number of Storage unit provided</b>	Single storage	Single storage
	Width of storage unit $\pm 10$ mm	400mm	*
	Depth of storage unit in mm ( $\pm 10$ mm)	600	*
	Height of smallest storage unit $\pm 5$ mm	100mm	*
	Height of medium storage unit $\pm 5$ mm	N.A	*
	Height of largest storage unit $\pm 5$ mm	N.A	*
	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L-type supporting bracket	N.A	*
	Keyboard adjustablity	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channe $\pm 10$ mm	N.A	*
	Average weight of telescopic channel $\pm 50$ Gms	N.A	*
KEYBOARD TRAY	Keyboard front width $\pm 10$ mm	N.A	*
	Keyboard depth $\pm 10$ mm	N.A	*
	Keyboard height $\pm 10$ mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray $\pm 1$ mm	N.A	*
	Material of footrest	N.A	*
	Length of footrest $\pm 10$ mm	N.A	*
	Depth of footrest $\pm 10$ mm	N.A	*
	Height of footrest	N.A	*
FOOTREST			

	±10mm		
	Finish of exposed edges	N.A	*
	<b>Material thickness of footrest ±2mm</b>	N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	Oak	*
WARRANTY	<b>Warrantee period in number of years</b>	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>Product having BIFMA certification</b>	NO	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Wilson Babu Chintamalla	517520,Additional Divional Engineer Office, near old check post, Opp: Railway hospital, S.C.Railway, Renigunta 517520 PH NO: 9701374218	2	30

## **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**