

Dated: 10-07-2020



### **Bid Document**

| Bid Document  |  |  |  |  |
|---|--|--|--|--|
| Bid Details   |  |  |  |  |
| Bid End Date/Time   | 20-07-2020 14:00:00  |  |  |  |
| Bid Opening Date/Time   | 20-07-2020 14:30:00  |  |  |  |
| Bid Life Cycle (From Publish Date)  | 90 (Days)  |  |  |  |
| Bid Offer Validity (From End Date)  | 80 (Days)  |  |  |  |
| Ministry/State Name   | Uttar Pradesh  |  |  |  |
| Department Name   | Medical Education Department Uttar Pradesh                           |  |  |  |
| Organisation Name   | Sanjay Gandhi Post Graduate Institute Of Medical<br>Sciences Lucknow |  |  |  |
| Office Name   | Sgpgims Raibareily Road Lucknow                                      |  |  |  |
| Total Quantity  | 4  |  |  |  |
| Item Category   | Online UPS   |  |  |  |
| Bidder Turnover (Last 3 Years)  | 23 Lakh (s)  |  |  |  |
| OEM Average Turnover (Last 3 Years)   | 150 Lakh (s)   |  |  |  |
| Experience Criteria   | 3 Year (s)   |  |  |  |
| MSE Exemption for Years of Experience and Turnover  | No   |  |  |  |
| Startup Exemption for Years of Experience and Turnover  | No   |  |  |  |
| ocument required from seller  Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption be uploaded for evaluation by the buyer |  |  |  |  |
| Past Performance  | 40 %   |  |  |  |
| Bid to RA enabled   | No   |  |  |  |
| Inspection Required   | No   |  |  |  |
|   | •  |  |  |  |

### **EMD Detail**

| Advisory Bank     | State Bank of India |
|-------------------|---------------------|
| EMD Percentage(%) | 1.00                |
| EMD Amount        | 47600               |

#### ePBG Detail

| Advisory Bank                       | State Bank of India |
|-------------------------------------|---------------------|
| ePBG Percentage(%)                  | 5.00                |
| Duration of ePBG required (Months). | 62                  |

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

### **Beneficiary:**

Director, SGPGI

Sgpgims Raibareily Road Lucknow, Medical Education Department Uttar Pradesh, Sanjay Gandhi Post Graduate Institute of Medical Sciences Lucknow, Account Number-10095237355 Name of Account -Director, SGPGI Name of Bank and Branch-State Bank of India, SGPGIMS, Lucknow-226014 IFSC Code- SBIN0007789

(Prof. R.k. Dhiman)

#### **Splitting**

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

# Online UPS ( 4 pieces )

## **Technical Specifications**

# \* As per GeM Category Specification

| Specification  | Specification Name   | Values  | Bid Requirement<br>(Allowed Values)              |
|----------------|--|---|--|
| Generic        | Rating in KVA (KVA)  | 20.0 KVA                                      | 20.0 KVA   |
|                | Technology   | IGBT-PWM with inbuilt isolation transformer   | IGBT-PWM with inbuilt isolation transformer      |
|                | Input Power  | Three phase 300 V -<br>450V sinewave,50Hz     | Three phase 300 V -<br>450V sinewave,50Hz        |
|                | Output power   | Single phase 230V<br>+/-1% sinewave 50 Hz     | Single phase 230V<br>+/-1% sinewave 50 Hz        |
|                | Backup time<br>(Minutes)   | 120   | 120  |
|                | Minimum VAH (VAH)  | 72000   | 72000  |
|                | Warranty for UPS<br>(Years)                                      | 5   | 5  |
|                | Movable trolly for Batteries                                     | Without trollery but with rack                | Without trollery but with rack                   |
|                | Warranty for battery   | 2   | 2  |
|                | Degree of Protection   | IP21  | IP21   |
|                | Cabling 5 meters for input and out put                           | With  | With   |
|                | Paralleling kit for synchronising                                | With  | With   |
|                | Installation and<br>Commissioning                                | Yes   | *  |
| Constructional | Minimum thickness of<br>M.S.Sheet Enclosure<br>duly painted (mm) | 1.2   | *  |
|                | Type of Battery  | SMF-VRLA conforming to JISC:8702(Pt.I,II&III) | SMF-VRLA conforming<br>to JISC:8702(Pt.I,II&III) |
| Functional     | Maximum overshoot<br>and Under shoot of<br>output rated voltage  | 4   | *  |
|                | Voltage Regulation<br>from no load to full load<br>(%)           | < / = 3%                                      | *  |
|                | 20% Overload limit for minimum 10 minutes                        | Yes   | Yes  |
|                | Overall Efficiency<br>(%)  | >/=90%  | >/=90%   |

|                              | Total Harmonic<br>Distortion(THD) (%)   | Maximum 3% | *   |
|------------------------------|---|------------|-----|
|                              | 50% Overload limit for minimum 1 minutes  | Yes        | Yes |
| Protection                   | Protection for under<br>voltage at battery<br>terminal at 10.5V per<br>12 V battery   | Yes        | *   |
|                              | Protection of Over voltage, Short Circuit & over load at UPS output terminal  | Yes        | *   |
| Metering And<br>Indications  | Digital Metering in UPS<br>for AC Input<br>Voltage,Output AC Volt<br>age,Current,Frequency,<br>Battery Voltage and<br>Current         | Yes        | *   |
|                              | Indicators for mains presence,Battery charging and discharging,Output Over Load, Low Battery Voltage                                  | Yes        | *   |
| Reports And<br>Certification | Damp Heat: in accordance with IS:9000(part 5/sec.2)1981 at Temperature of 40 degree C,two cycles of (12+12) hours each 2007)          | Yes        | *   |
|                              | Dry Heat Test: in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs                              | Yes        | *   |
|                              | Cold Test: in accordance with IS:9000 (Part 2/Sec.4)1977 (Reaffirmed 2007) at -10 degree C for 4 hrs.                                 | Yes        | *   |
|                              | Availability of the Type<br>Test Report from<br>Central Govt.<br>/NABL/ILAC Accredited<br>lab covering all<br>technical requirements. | Yes        | *   |
|                              | /NABL/ILAC Accredited lab covering all  | -          | *   |

| No.   |                               |   |
|---|-------------------------------|---|
| Type Test 0<br>date   | Certificate -                 | * |
| Name of La  | b -                           | * |
| Address of  | Lab -                         | * |
| As per Meit<br>(Governme<br>guidelines I<br>have valid<br>certification<br>applicable | presently  JPS shall  BIS CRS | * |

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

### **Additional Specification Documents**

#### Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti<br>ng Officer | Address  | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1     | ISHWAR CHANDRA<br>NAWANI        | 226014,SANJAY GANDHI<br>POSTGRADUATE INSTITIUTE<br>OF MEDICAL SCIENCES<br>LUCKNOW 226014 | 4        | 60            |

### Special terms and conditions for category Online UPS

1. Calculation of Minimum VAH based on Back up time Minimum VAH requirements would be calculated on the basis of following: (VAH Calculation: Battery Voltage x Battery Ah x No. of Batteries = VAH)UPS Rating15 Minutes30 Minutes60 Minutes90 Minutes120 Minutes180 Minutes240 Minutes1 KVA400 VAH800 VAH1600 VAH2400 VAH3200 VAH4800 VAH6400 VAH2 KVA800 VAH1600 VAH3200 VAH4800 VAH6400 VAH9600 VAH12800 VAH3 KVA1200 VAH2400 VAH4800 VAH7200VAH9600 VAH14400 VAH19200 VAH5 KVA2000 VAH4000 VAH8000 VAH12000 VAH16000 VAH24000 VAH32000 VAH6 KVA2400 VAH4800 VAH9600 VAH14400 VAH19200 VAH28800 VAH38400 VAH7.5 KVA3000 VAH6000 VAH12000 VAH18000 VAH24000 VAH36000 VAH48000 VAH10 KVA4000 VAH8000 VAH16000 VAH24000 VAH32000 VAH48000 VAH64000 VAH15 KVA6000 VAH12000 VAH24000 VAH36000 VAH48000 VAH72000 VAH96000 VAH20 KVA8000 VAH16000 VAH32000 VAH48000 VAH64000 VAH96000 VAH128000 VAH30 KVA12000 VAH24000 VAH48000 VAH72000 VAH96000 VAH144000 VAH192000 VAH40 KVA16000 VAH32000 VAH64000 VAH96000 VAH128000 VAH192000 VAH256000 VAH60 KVA24000 VAH48000 VAH96000 VAH144000 VAH192000 VAH288000 VAH384000 VAH80 KVA32000 VAH64000 VAH128000 VAH192000 VAH256000 VAH384000 VAH512000 VAH100 KVA40000 VAH80000 VAH160000 VAH240000 VAH320000 VAH480000 VAH640000 VAH

# **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

- 2. ISO 9001: The bidder must have ISO 9001 certification.
- 3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 6. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 8. Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
- 9. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
  - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
  - b. Execution certificate by client with order value.
  - c. Any other document in support of order execution like Third Party Inspection release note, etc.
- 10. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
  - (i) Single order of at least 35% of estimated bid value; or
  - (ii) Two orders of at least 20% each of estimated bid value; or
  - (iii) Three orders of at least 15% each of estimated bid value.
  - Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion
- 11. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service

/ rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---