



Bid Number: GEM/2020/B/701657
Dated: 07-07-2020

Bid Document

| Bid Details | |
|--|---|
| Bid End Date/Time | 21-07-2020 15:00:00 |
| Bid Opening Date/Time | 21-07-2020 15:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 30 (Days) |
| Ministry/State Name | Ministry Of Petroleum And Natural Gas |
| Department Name | Oil India Limited |
| Organisation Name | Oil India Limited |
| Office Name | Oil India Limited |
| Total Quantity | 10 |
| Item Category | fire proximity suit |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled | No |
| Inspection Required | No |
| Estimated Bid Value | 439300 |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

MSE Purchase Preference

| | |
|--|--|
| | |
|--|--|

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

Fire Proximity Suit (10 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|----------------------------------|--|--|
| Generic | Conformity to EN Standard | fire proximity suit coat trouser to en 469 2005 fireman helmet to en 443 2008 type b fireman gloves to en 659 2008 fireman boots to en 15090 2012 and antifiash hood to en 13911 2004 also with ce marking for all items | en 469 2005 level 2 with latest amendments for fire proximity suit coat and trouser suitable for class iii fire defined as radiant heat and pocket of flames, fire proximity suit coat trouser to en 469 2005 fireman helmet to en 443 2008 type b fireman gloves to en 659 2008 fireman boots to en 15090 2012 and antifiash hood to en 13911 2004 also with ce marking for all items |
| | Item Descriptions | complete set cosisting fire proximity suit coat trouser fireman helmet type b fireman gloves fireman boots antifiash hood | complete set cosisting fire proximity suit coat trouser fireman helmet type b fireman gloves fireman boots antifiash hood |
| | Educational | "The items are to be | * |

| | | | |
|----------------|--|--|---|
| | Instructions (Supplier Has To Educate to End user) | <p>used at a close proximity to the Fire never exceeding a closeness of more than 1 meter from the Fire. They are NEVER to BE USED for FIRE ENTRY Purpose. How to use the fire suit about wearing and removing. How maintain the fire suit. Limitation of use of fire suit according to the user manual provided along with the fire suit Fire suit needs to be Inspected every time after use to identify if it suitable for deployment. The reason is that after Exposure to every Fire Accident the Fire Fighting suit may get damaged and hence, this may be render the Fire Proximity suit unsuitable for deployment till it is repaired . Wash care maintenance of Fire suit is strongly recommended. Ideally after every six months the Fire Suits should be sent back to the manufacture for Wash Care and Maintenance. This will ensure that the Fire Proximity suits are Clean and suitable for deployment after exposure to previous Fire Fighting activity. The Fire Fighting suits normally are recommended with a shelf life of 5 years from the date of manufacture and ideally should be replaced after this period. "</p> | |
| Constructional | Fire Proximity suit (Coat and Trouser) size | Large (L) (Suitable for person of height 164-176 cm, Chest Girth 96-104 cm, Waist | * |

| | | |
|---|---|---|
| | Girth 92-100 cm) | |
| Suit colour | Navy Blue | * |
| Suit Fabric | the fabric namely nomex kevlar or equivalent shall be used for manufacture of the suit the garment manufactures have to furnish the genuinity certificate test certificates issued by m s du pont or the manufacturer of the fibre for the fabric | * |
| Generic Fibre of suit | outer shell layer contains fibre composition of para aramide meta aramide 2 antistatic etc gsm 190 minimum or para amarmide polybenzimdiazole 2 anti static gsm 190 minimum middle layer contains fibre composition of meta aramide para aramide ptfe | * |
| Fireman Helmet (Type B) sizes shall be as per clause 5 of Helment Adjustment of EN:443-2008, Bicomponent membrane, Lining Fabric contains fibre composition of:-Blend of Meta aramide (or) Blend of Modarylic | yes | * |
| Fireman Gloves size | 8 | * |
| Fireman boot size | 9 | * |
| Firehood shall be manufactured in various sizes or be sufficiently elastic to be compitable with various head sizes and shape | Sufficiently elastic to be compitable with various head sizes and shape | * |
| Labelling | Each set must be having LABEL attached and Instruction on the label. Improper process could modify the clothing features and | * |

| | | | |
|---------------|--|--|---|
| | | <p>protective levels, Keep clothing dry and clean in suitable place at ambient temperature and humidity ,Do not expose it to heat or cold surface and to repair the clothing we recommend to use only materials like the ones used for the manufacturing of the clothing . No other materials must be used and repairs must be carried out only by an experienced staff or directly by the manufacturer .The clothing has been planned with high quality components . In spite of this protective features can be subject to degradation in the long run as a result of the condition of working place. Therefore it is not possible to fix the durability of the clothing but in any case, following exposure to a risk that might damage whatever components, the time frame is undecided.</p> | |
| Certification | Approval | All the Items (components) should be approved to relevant EN standards and should be supported with both "EC Type Examination Certificate"as per Article 10 & "EC Quality System certificate" as per Article 11 A or 11B as per EEC guidelines individually. | * |
| | Technical manual comprising of servicing details shall be supplied with system | Yes | * |
| | The firm shall furnish | Yes | * |

| | | | |
|--|--|-----|---|
| | manufacturers [™] test certificate for the fabric, major components and main item on the basis of the test performed on the representative samples | | |
| | Availability of complete & satisfactory test Report from Central govt/ NABL/ ILAC accredited laboratory for individual components (as applicable) conforming to relevant EN standard | Yes | * |
| | Test report No. | - | * |
| | Test Report date | - | * |
| | Name of lab where test conducted | - | * |
| | Availability of CE certificate for individual item (component) genuinity of which to be verified from the certification agency | Yes | * |
| | Copy of test report and certifications to be furnished to the buyer on demand | Yes | * |

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|--|----------|---------------|
| 1 | Bhavik Haresh Mody | 342005,OIL INDIA LIMITED, RAJASTHAN PROJECT, 2-A, SARASWATI NAGAR, DISTRICT SHOPPING CENTRE, BASNI, JODHPUR, RAJASTHAN | 10 | 30 |

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.
3. Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
4. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
5. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
6. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST : 5%
Notification No.and date : 3/2017 - Integrated/ Central Tax (Rate) dated 28/06/2017

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---