

Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 18:00:00
Bid Opening Date/Time	24-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Skill Development And Entrepreneurship
Department Name	Na
Organisation Name	Directorate General Of Employment And Training (dge&t)
Office Name	Ati Calicut Kerala
Total Quantity	20
Item Category	Revolving Chair
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (20 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	steel covered with polyurethane	steel covered with polyurethane
	seat material	PU foam covered with mesh fabric	PU foam covered with mesh fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	35	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	35	*
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric	100% polyester fabric
	Material of Fabric of Seat Cover	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	220 gram	*
GENERAL	Chair Type	only revolving without tilting mechanism	only revolving without tilting mechanism
	Tilt Tension Adjustment	No	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm
	Arm	With	With
	Type of backrest support	backrest symmetrical lumber support	backrest symmetrical lumber support
	Arm Type	Fixed	Fixed
	Colour of Fabric for Seat and Backrest	BLUE	*
	Ergonomic Seat Design	No	No
	Back type	fixed	fixed
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	backrest has separate adjustable headrest	No	No

DIMENSION	Seat type	fixed	fixed
	Seat is curved	Yes	*
	Locking mechanism	No	*
	Type of locking	N.A	*
	Number of arm movement	N.A	N.A
	Lumber support	integrated	integrated
	Overall Chair Height ±15mm	890	890
	Backrest Height ±15mm	460	460.0
	Backrest Width ±10mm	410	410.0
	Seat Height ±15 mm	520	520
	Seat Width ±10 mm	440	440
	Seat Depth ±10 mm	400	400.0
WARANTEE	Thickness of MS Plate Joining the under structure with Seat	1.8	1.8
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm	12 mm
	Padestal Size (Diameter in mm) +/- 10 mm	715	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm	50 mm
	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES

OEM of offered product is ISO 14001:2015 certified	YES	YES
OEM of offered product is ISO 18001:2007 certified	YES	YES
Green guard certification	YES	YES
Aiota	-	YES

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Shantilal T C	673016,Director, National Skill Training Institute(NSTI), Govindrapuram P O , Calicut Kerala PIN 673016	20	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---