

Bid Number: GEM/2020/B/714113

Dated: 17-07-2020

Bid Document

| Dia Document | | | | |
|--|---|--|--|--|
| | Bid Details | | | |
| Bid End Date/Time | 27-07-2020 14:00:00 | | | |
| Bid Opening Date/Time | 27-07-2020 14:30:00 | | | |
| Bid Life Cycle (From Publish Date) | 90 (Days) | | | |
| Bid Offer Validity (From End Date) | 30 (Days) | | | |
| Ministry/State Name | Ministry Of Railways | | | |
| Department Name | Na | | | |
| Organisation Name | N/a | | | |
| Office Name | East Central Railway | | | |
| Total Quantity | 8 | | | |
| Item Category | Foam Mattress | | | |
| Experience Criteria | 3 Year (s) | | | |
| MSE Exemption for Years of Experience and Turnover | No | | | |
| Startup Exemption for Years of Experience and Turnover | No | | | |
| Document required from seller | Experience Criteria, OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | |
| Bid to RA enabled | No | | | |
| Inspection Required | No | | | |

EMD Detail

| Doguirod | No |
|----------|----|
| Required | No |

ePBG Detail

| De austre d | N - |
|-------------|-----|
| Required | No |

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Foam Mattress (8 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|--------------------|--|---------------------|---|
| DIMENSION | Dimention | 1981 mm X 914 mm | 1981 mm X 914 mm |
| NUMBER OF LAYERS | Number of Layers | Two Layers | Two Layers |
| THICKNESS | Thickness of Core Layer | 100 mm | 100 mm |
| | Thickness of Core Layer 2 | Not Applicable | 50 mm, 75 mm, 100 mm, 125 mm, 150 mm, 175 mm, 200 mm, 250 mm, Not Applicable |
| | Thickness of Top Layer (±2 mm) | 50 mm | 50 mm |
| | Thickness of Bottom Layer (±2 mm) | 50 mm | 50 mm |
| MATERIAL | Material of Core Layer 1 | PU Foam | PU Foam |
| | Material of Core Layer 2 | PU Foam | PU Foam |
| | Material of Top Layer | PU Foam | PU Foam |
| | Material of Bottom Layer | PU Foam | PU Foam |
| QUILTING FOAM | Quilting | Without Quilting | Without Quilting |
| | Quilting Material | Not Applicable | * |
| | Density of Quilting Material (± 2 Kg/m3) | 20 Kg/m3 | * |
| | Thickness of Quilting (±2 mm) | 32 mm | 32 mm |
| MATTRESS COVER | Fabric Composition | Polyester | Polyester |
| | Construction | Woven | Woven |
| | Fabric Mass (Minimum) | 100 gm/m2 | 100 gm/m2 |
| | Fabric Colour/Print/Pattern | Printed | * |
| | Flame Resistant Fabric | Not Applicable | Not Applicable |
| SURFACE FINISH | Surface Finish of Mattress | Without Convolution | * |
| DENSITY | Core Layer 1 Density | 80 Kg/m3 | 80 Kg/m3 |
| | Core Layer 2 Density | Not Applicable | Not Applicable |
| | Top Layer Density | 32 Kg/m3 | 32 Kg/m3 |
| | Bottom Layer Density | 50 Kg/m3 | 50 Kg/m3 |
| OTHER REQUIREMENTS | Mattress Top | Вох Туре | * |
| COMPRESSION SET | Compression Set for PU Foam (non quilting) as per IS 7888 1976 (Max) | 10% | 10% |
| | Compression Set for Rubberised Coir Foam (Max) | Not Applicable | * |
| | Compression Set for Latex (Max) | Not Applicable | * |

| RESISTANCE TO AGEING | Resistance to Ageing for PU Foam as per IS 7888 latest (max) | Shall meet the requirement of IS 7933 Latest | * |
|---------------------------------------|---|--|--|
| | Resistance to Ageing for Rubberised Coir Foam | Not Applicable | * |
| | Resistance to Ageing for Latex Foam | Not Applicable | * |
| DURABILITY / RESISTANCE TO FLEXING | Durability Test for PU Foam as per IS 7888 latest | Shall meet the requirement of IS 7933 Latest | * |
| | Resistance to Flexing for Rubberised Coir Foam | Not Applicable | * |
| | Flexing Test for Latex Foam | Not Applicable | * |
| | Durability Test for Complete Mattress | loss of height not more than 13 mm (as per ASTM 1566) | loss of height not more than 13 mm (as per ASTM 1566) |
| WARRANTY | Warranty | 1 Year | 1 Year |
| DEPARTMENTAL LOGO | Logo Marking | No | No |
| | Type of Logo | Printed | * |
| TEST REPORT | Availability of Test Report from NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification | No | * |
| | Test Report Date | - | * |
| | Name of the Lab | - | * |
| | Address of The Lab | - | * |
| | Test reports to be furnished to buyer on demand, if claimed to be available | Not Applicable | * |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|---|--------------------------------|---|----------|---------------|
| 1 | | 803116,XEN/C/I/RGD, Office of DY.CE/Con/RGD, Distt - Nalanda, Bihar, Mob - 9771460227 | 8 | 15 |

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2.Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3.Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone

No. for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---